AMELIA LUMBER COMPANY, INC P.O. BOX 727 AMELIA, VIRGINIA 23002 804-561-2155

April 20, 2016

Commonwealth of Virginia
Virginia Department of Environmental Quality
Piedmont Regional Office
4949-A Cox Road
Glen Allen, VA 23060
Attn: Ms. Laura Galli, VPDES Permit Writer

Re: Amelia Lumber Company, Inc., Permit Reissuance VPDES Permit No. VA0091979

Dear Ms. Galli:

Enclosed for your use is an amended copy of the VPDES Permit Application for the Amelia Lumber Company, Inc. The enclosed permit application has been revised to incorporate comments presented in your letter dated April 12, 2016.

If you should have any questions concerning the enclosed documents, please do not hesitate to contact me.

Sincerely,

William L. Scott

President

WS/

Enclosures

Form Approved, Of	/B No 2040	0_0086
-------------------	------------	--------

FORM		II C ENVIE	ZONIA	CAITA		FOII	Approved, OMB No. 2040-	-0086.			
1	O EDA	U.S. ENVIRONMENTAL PROTECTION GENERAL INFORMAT				TION AGENCY	PA I.D. NUMBER	19			
1	\$EPA	Consolidated Permits Program			ogram				T/A	T	
GENERAL		(Read the	(Read the "General Instructions" before starting.)			efore starting.)					
LABE	LITEMS					1	GENERAL INSTR	LICTIC		13 14	
						If a	a preprinted label has been	provid	dad aff	fix it i	n t
I. EPA I.D.	NUMBER					ISI	ignated space. Review the information correct, cross through it and e	ntor th		4 4-4-	t- 41
III. FACILITY	YNAME	PLFAS	F PI	ACELA	ABEL IN TH	app is a	opriate fill-in area below. Also, libsent (the area to the left of	if any o	of the pro	eprinte	d da
V. FACILITY	Y MAILING			IOL D	ADEL III II	fill-ir	nnation that should appear), ple	ase pr	ovide it	in the p	orop
ADDRES						I lice	d not complete Items I, III, V, to be completed regardless). Co	and \/	· farean	4 1 /F P	
VI. FACILITY	LOCATION					I IIas	been brovided. Refer to the in	etn uctic	anc for	dataile	S 24.
	CHARACTERISTI					ueso	criptions and for the legal author is collected.	orizatio	ns unde	er whic	h th
								PYN		ABR	
you answer "no	" to each question	ougn J to determine whethe ental form listed in the pare , you need not submit any o of the instructions for definiti	£ 44			ny permit application forms to the EF uestion. Mark "X" in the box in the the answer "no" if your activity is excludes.	PA. If you answer "yes" to a nird column if the suppleme led from permit requirement	ny que ntal fo ts; see	estions orm is a Section	ttache	nu ed
	SPECIFIC OUE	CTIONO	YES	_	k "X"				Mari	k "X"	_
A Is this facility	SPECIFIC QUE		120	NO	FORM ATTACHED	SPECIFIC QUE		YES	NO	FO	
results in a d	ischarge to waters	d treatment works which s of the U.S.? (FORM 2A)		X		B. Does or will this facility (eith	ner existing or proposed)				
			16	17	18	include a concentrated anim aquatic animal production f discharge to waters of the U.S	acility which recults in a	19	20	21	_
waters of th	e U.S. other than	results in discharges to those described in A or B	X		X	D. Is this a proposed facility (other	than those described in A	-			_
above? (FOF	FORM 2	F GOODING III A OF B	22	23	24	or B above) which will result in the U.S.? (FORM 2D)	a discharge to waters of		X		
. Does or wi	Il this facility trea	at, store, or dispose of			24	F. Do you or will you inject at	this facility industrial	25	26	27	
Hazardous W	vastes? (FORM 3)			X		municipal effluent below t	he lowermost stratum		$ \mathbf{x} $		
			28	29	30	containing, within one quarter underground sources of drinking	mile of the well hore				
B. Do you or wil	I you inject at this fa	acility any produced water		-		H. Do you or will you inject at this	s facility fluids for enocial	31	32	33	
connection w	ith conventional oil	ought to the surface in or natural gas production,		x		processes such as mining of sul	fur by the Freech process		.		
inject fluids u	ised for enhanced	recovery of oil or natural of liquid hydrocarbons?				solution mining of minerals, in fuel, or recovery of geothermal e	energy? (FORM 4)		X		
(FORM 4)	illuds for storage	or liquid hydrocarbons?					in and an an an an				
Is this facility	a proposed station	nary source which is one	34	35	36	I le Maio de 199		37	38	39	
of the 28 indu	strial categories list	ted in the instructions and		X		J. Is this facility a proposed state NOT one of the 28 industrial	tionary source which is				
pollutant regu	lated under the Cle	tons per year of any air an Air Act and may affect				instructions and which will pote	ntially emit 250 tone nor		X		
or be located	in an attainment are	ea? (FORM 5)	40	41	42	year of any air pollutant regulate and may affect or be located	d under the Clean Air Act	43	44	45	_
I. NAME OF F	ACILITY					(FORM 5)	and an annual transfer area:			45	
						Charles Street, Carlo					
	ELIA LUMBE	R COMPANY, INC.	. '	1							
16 - 29 30								69			
. FACILITY C	ONTACT			1 7		PROPERTY OF THE PROPERTY OF		-			
		A. NAME & TITLE (last, j	first, &	title)		B. I	PHONE (area code & no.)				
	WILLIAM ' '	PRESIDENT'	1	1 1	1 1 1	(804					
16							48 49 51 52- 55				
FACILTY MAIL	ING ADDRESS	BOAT SWALL		140		SECTION AND DESCRIPTION OF THE PERSON OF THE	35				7
		A. STREET OR P.O	. BOX	(
P.O. BOX	727 ' '		I	1 1	1 1 1						
16						45					
		B. CITY OR TOWN				C. STATE D. ZIP	CODE				
AMELIA						VA 23002					
16											
FACILITY LO	CATION		E SI			40 41 42 47	51				
	A. STREET	, ROUTE NO. OR OTHER	SPEC	IFIC I	DENTIFIER						
16951 LE											
16											
		B. COUNTY N	AME			45					
ELIA				\top							
		C. CITY OR TOWN				D. STATE E. ZIP C	ODE E COUNTY COS	F 400		Г	
AMELIA						VA 23002		r⊏ (if k	nown)		
16							07				
Form 3510-1 (8-90)					40 41 42 47	51 52	54		-	

CONTINUED FROM THE FRONT	
VII. SIC CODES (4-digit, in order of priority)	
A. FIRST	B. SECOND
7 2421 SAWMILL & PLANING MILLS, GENERAL	7 2491 (specify) WOOD PRESERVING
15 16 - 19 C. THIRD	15 16 - 19 D FOLIDATI
c (specify)	D. FOURTH
7	7
VIII. OPERATOR INFORMATION	15 16 · 19
A. NAME	B. Is the name listed in Item
8 AMELIA LUMBER COMPANY, INC.	VIII-A also the owner? ✓ VIII-A also the owner? ✓ VIII-A also the owner?
C. STATUS OF OPERATOR (Enter the appropriate lette	
F = FEDERAL S = STATE P = PRIVATE M = PUBLIC (other than federal or state) O = OTHER (specify)	P (specify) Specify
E. STREET OR P.O. BOX	
P.O. BOX 727	
F. CITY OR TOWN	□ G. STATE H. ZIP CODE IX. INDIAN LAND
B AMELIA	VA 23002 ☐ YES ☑ NO
15 16	40 41 42 47 - 51 52
X. EXISTING ENVIRONMENTAL PERMITS	The state of the s
	D (Air Emissions from Proposed Sources)
9 N VA0091979	
15 16 17 18 30 15 16 17 18	30
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)
9 U	(specify)
15 16 17 18 30 15 16 17 18	30
C. RCRA (Hazardous Wastes)	E. OTHER (specify)
C T I C T I	(specify)
9 R 9	
15 16 17 18 30 15 16 17 18	30
XI. MAP Attach to this application a topographic map of the area extending to at lead to contain of each of its existing and proposed intake and discharge structure.	east one mile beyond property boundaries. The map must show the outline of the facility, the
15 16 17 18 30 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at Is location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface water	east one mile beyond property boundaries. The map must show the outline of the facility, the
Its 18 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION	east one mile beyond property boundaries. The map must show the outline of the facility, the
XI. MAP Attach to this application a topographic map of the area extending to at Is location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
15 16 17 18 30 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at Is location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF	east one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
XI. MAP Attach to this application a topographic map of the area extending to at Is location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at 18 location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATER AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
IS 16 17 18 SO 15 16 17 18 XI. MAP Attach to this application a topographic map of the area extending to at Is location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF.	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OF COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER COPPER ARSENATE OF PROCESSES.
XII. MAP Attach to this application a topographic map of the area extending to at Is location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF.	east one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER arsenate (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER ERATED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT
XII. CERTIFICATION (see instructions) XII. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF.	east one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it is bodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER OCOPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER ERATED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT are with the information submitted in this application and all attachments and that, based on my contained in the application. I believe that the information is the application in the application.
XII. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface water XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF. XIII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am familial inquiry of those persons immediately responsible for obtaining the information, A. NAME & OFFICIAL TITLE (type or print) B. SIGN	east one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER are compared to the compared to
XI. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATEL AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF. XIII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am familianding inquiry of those persons immediately responsible for obtaining the information, am aware that there are significant penalties for submitting false information,	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it is bodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER DEPOSED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT are with the information submitted in this application and all attachments and that, based on my on contained in the application, I believe that the information is true, accurate, and complete. I including the possibility of fine and imprisonment. ATURE C. DATE SIGNED
XII. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface water XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF. XIII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am familial inquiry of those persons immediately responsible for obtaining the information, A. NAME & OFFICIAL TITLE (type or print) B. SIGN	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it is bodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER DEPOSED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT are with the information submitted in this application and all attachments and that, based on my on contained in the application, I believe that the information is true, accurate, and complete. I including the possibility of fine and imprisonment. ATURE C. DATE SIGNED
XII. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface wate XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF. XIII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am familiandiny of those persons immediately responsible for obtaining the information am aware that there are significant penalties for submitting false information. A. NAME & OFFICIAL TITLE (type or print) WILLIAM L. SCOTT PRESIDENT B. SIGN	east one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it rodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER are compared to the compared to
XII. MAP Attach to this application a topographic map of the area extending to at le location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface water XII. NATURE OF BUSINESS (provide a brief description) ACTIVITIES AT THIS FACILITY INCLUDE THE OPERATION PRODUCTS. WOOD PRESEVATIVES USED INCLUDE CHROMATED AZOLE (CA-C) FOR THE RESIDENTIAL MARKET. THE WOOD PRESERVATION OPERATION IS DESIGNED AND OF WASTEWATER. WITH NO PROCESS WASTEWATER DISCHARGE, STORMWATER RUNOFF. XIII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am familial inquiry of those persons immediately responsible for obtaining the information, A. NAME & OFFICIAL TITLE (type or print) B. SIGN	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it is bodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER DEPOSED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT are with the information submitted in this application and all attachments and that, based on my on contained in the application, I believe that the information is true, accurate, and complete. I including the possibility of fine and imprisonment. ATURE C. DATE SIGNED
XII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am familiniquiry of those persons immediately responsible for obtaining the information, A. NAME & OFFICIAL TITLE (type or print) III. So 15 16 17 18 18 20 15 16 17 18 2	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it is bodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER DEPOSED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT are with the information submitted in this application and all attachments and that, based on my on contained in the application, I believe that the information is true, accurate, and complete. I including the possibility of fine and imprisonment. ATURE C. DATE SIGNED
XII. CERTIFICATION (see instructions) XIII. CERTIFICATION (see instructions) I certify under penalty of law that I have personally examined and am famili inquiry of those persons immediately responsible for obtaining the information, A. NAME & OFFICIAL TITLE (type or print) WILLIAM L. SCOTT PRESIDENT Attach to this application a topographic map of the area extending to at la location of each of its existing and proposed intake and discharge structure injects fluids underground. Include all springs, rivers, and other surface water injects fluids underground. Include all springs, rivers, and other surface water injects fluids underground. Include all springs, rivers, and other surface water injects for interest and the surface are injects. Include a surface water injects for interest and a surface water injects for submitting false information, and ware that there are significant penalties for submitting false information. COMMENTS FOR OFFICIAL USE ONLY	past one mile beyond property boundaries. The map must show the outline of the facility, the s, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it is bodies in the map area. See instructions for precise requirements. OF A SAWMILL, A PLSANER MILL, AND THE PRESERVATION OF LUMBER of COPPER ARSENATE (CCA) FOR NON-RESIDENTIAL MARKET AND COPPER DEPOSED AS CLOSED SYSTEMS TO PRECLUDE THE DISCHARGE OF PROCESS THE DISCHARGES AT OUTFALLS 001, 002, AND 003 REPRESENT are with the information submitted in this application and all attachments and that, based on my on contained in the application, I believe that the information is true, accurate, and complete. I including the possibility of fine and imprisonment. ATURE C. DATE SIGNED

Form Approved. OMB No. 2040-0086 Approval expires 5-31-92

2F SEPA

U.S. Environmental Protection Agency Washington, DC 20460

Application for Permit to Discharge Storm Water Discharges Associated with Industrial Activity

Paperwork Reduction Act Notice

Public reporting burden for this application is estimated to average 28.6 hours per application, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate, any other aspect of this collection of information, or suggestions for improving this form, including suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, or Director, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

I. Outfall Location						
For each outfall, list the	latitude and longitude of	of its location to the	e nearest 15 se	conds and the nam	ne of the receiving water.	
A. Outfall Number (list)	B. Latitude		C. Lor	ngitude_		ving Water ame)
II. Improvements						

A. Are you now required by any Federal, State, or local authority to meet any implementation schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.

Identification of Conditions,		2. Affected Outfalls		4. Final Compliance Date		
Agreements, Etc.	number	source of discharge	Brief Description of Project	a. req.	b. proj.	
	1					
				1		

B: You may attach additional sheets describing any additional water pollution (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

III. Site Drainage Map

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfalls(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each known past or present areas used for outdoor storage of disposal of significant materials, each existing structural control measure to reduce pollutants in storm water runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which received storm water discharges from the facility.

SEE FIGURE 1 - TOPOGRAPHIC MAP & FIGURE 2 - OUTFALL LOCATIONS.

				O
IV.	Narrative	Description	or Pollutant	Sources

A. For each outfall, provide an estimate of the area (include units) of imperious surfaces (including paved areas and building roofs) drained to the outfall, and an estimate of the total surface area drained by the outfall.

Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)	Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)
001 002 003	4.6 acres 0.25 acres 1.0 acre	66.2 acres 2.5 acres 10.6 acres			

B. Provide a narrative description of significant materials that are currently or in the past three years have been treated, stored or disposed in a manner to allow exposure to storm water; method of treatment, storage, or disposal; past and present materials management practices employed to minimize contact by these materials with storm water runoff; materials loading and access areas, and the location, manner, and frequency in which pesticides, herbicides, soil conditioners, and fertilizers are applied.

The facility stores the following materials outdoors which are potentially exposed to stormwater runoff: un-cut logs, pressure treated lumber, untreated lumber, saw dust, wood chips, and mulch. to minimize the potential for stormwater contamination, newly treated lumber remains on the drip pad(s) until drippage is confirmed to have stopped. Fertilizers, herbicides, oil conditioners, and pesticides are not applied at the facility.

C. For each outfall, provide the location and a description of existing structural and nonstructural control measures to reduce pollutants in storm water runoff; and a description of the treatment the storm water receives, including the schedule and type of maintenance for control and treatment measures and the ultimate disposal of any solid or fluid wastes other than by discharge.

Outfall Number	Treatment	List Codes from Table 2F-1
001	The facility uses a culvert, drainage ditches and grassy buffers to reduce solids runoff. Gravel	1-U
002	is present over exposed ground to reduce dust generation and solids runoff in some high traffic	1-U
003	areas.	1-U
	 	
	·	

V. Nonstormwater Discharges

A. I certify under penalty of law hat the outfall(s) covered by this application have been tested or evaluated for the presence of nonstormwater discharges, and that all nonstormwater discharged from these outfall(s) are identified in either an accompanying Form 2C or From 2E application for the outfall.

Name and Official Title (type or print)

William L. Scott, President

Signature

Date Signed

4/28//6

B. Provide a description of the method used, the date of any testing, and the onsite drainage points that were directly observed during a test.

Visual observation of Outfalls 001,002 and 003 performed on December 19, 2015. Results of the observations are documented and are filed with the facility Storm Water pollution Prevention Plan (SWPPP).

VI. Significant Leaks or Spills

Provide existing information regarding the history of significant leaks or spills of toxic or hazardous pollutants at the facility in the last three years, including the approximate date and location of the spill or leak, and the type and amount of material released.

No significant leak or spill of toxic or hazardous pollutants.

VII. Discharge Information			A Commence of the second control of							
	eeding. Complete one set of tables for each outfall. included on separate sheets numbers VII-1 and VII-		ace provided.							
Potential discharges not covered by ar currently use or manufacture as an inter	nalysis – is any toxic pollutant listed in table 2F-2, mediate or final product or byproduct?		emponent of a substance which you							
✓ Yes (list all such pollutants be		No (go to Section IX)								
otal Arsenic, Total Chromium, and Total Copper used in the wood treating process. The presence of Total Zinc is assumed to be primarily due to acid rain in contact with metal buildings. These pollutants are listed in Table 2F-3. Note that these wollutants are currently monitored as a requirement of the existing VPDES permit and the analytical test results are presented in VII - Part B of this application.										
VIII. Biological Toxicity Testing D	ata									
	elieve that any biological test for acute or chronic to	xicity has been made on any of your	discharges or on a receiving water in							
Yes (list all such pollutants be		No (go to Section IX)								
Discharge represented area for tre										
Pag	and telephone number of, and pollutants	No (go to Section X)								
A. Name	B. Address	C. Area Code & Phone No.	D. Pollutants Analyzed							
Air, Water & Soil Laboratories,	1941 Reymet Road, Richmond, Virginia 23237	(804) 358-8295	Oil & Grease, BOD5, COD, TSS,Total Nitrogen, Total Phosphorous, Total Chromium, Total Arsenic, Total Copper, Total Zinc, Total Hardness.							
X. Certification										
that qualified personnel properly gather an directly responsible for gathering the infor	ument and all attachments were prepared under my d evaluate the information submitted. Based on my mation, the information submitted is, to the best of g false information, including the possibility of fine ar	inquiry of the person or persons who my knowledge and belief, true, acc	manage the system or those persons urate, and complete. I am aware that							
A. Name & Official Title (Type Or Print)		B. Area Code and Phone No.								
William L. Scott, Preside	ent	(804) 561-2155								
C. Signature		D. Date Signed 4-2/-(6								

VII. Discharge information (Continued from page 3 of Form 2F) OUTFALL 001

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		ium Values ude units)		erage Values oclude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes Flow-Weighted Composite		Grab Sample Taken During First 20 Minutes Flow-Weighted Composite		of Storm Events Sampled	Sources of Pollutants
Oil and Grease		N/A				
Biological Oxygen Demand (BOD5)						
Chemical Oxygen Demand (COD)						
Total Suspended Solids (TSS)						
Total Nitrogen						
Total Phosphorus						
pН	Minimum (1)	Maximum (2)	Minimum ₍₁₎	Maximum (2)		

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

. 040	Maximi (inclu	um Values de units)	Aver (inc	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
			(1)			
			(1)			
			(1)			
			(1)			
						(#) = Date of Storm Event
			1			
			+			
			1			
			+			
			+			
			-			

Continued from the Front

	(inclu	um Values de units)	(ir	erage Values oclude units)	N	lumber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	E	of Storm Events ampled	Sou	urces of Pollutants
(II available)	Minutes	Composite	Minutes	Composite	36	ampieu	300	arces of Politicarits
Part D – Pro	ovide data for the sto	orm event(s) which res	ulted in the maxim	um values for the flow we	ighted o	composite :	sample.	
4	2.	3.		4.			5.	C
1. Date of Storm Event	Duration of Storm Event (in minutes)	Total rai during storr (in inch	m event	Number of hours betw beginning of storm meas and end of previous measurable rain eve	sured s	ra (gallo)	flow rate during in event ns/minute or cify units)	6. Total flow from rain event (gallons or specify units)
7. Provide a	description of the me	ethod of flow measurer	ment or estimate.					

Form Approved. OMB No. 2040-0086 Approval expires 5-31-92

VII. Discharge information (Continued from page 3 of Form 2F) OUTFALL 002

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)	Maximum Values (include units)			erage Values oclude units)	Number		
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
Oil and Grease		N/A					
Biological Oxygen Demand (BOD5)							
Chemical Oxygen Demand (COD)							
Total Suspended Solids (TSS)							
Total Nitrogen							
Total Phosphorus							
pН	Minimum (1)	Maximum (2)	Minimum (1)	Maximum (2)			

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

	(inclu	um Values ide units)	Ave (in	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
				·		
					-	

Continued from the Front

	(inclu	um Values de units)	(ir	erage Values oclude units)	N	lumber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	E	of Storm Events ampled	Sou	urces of Pollutants
(II available)	Minutes	Composite	Minutes	Composite	36	ampieu	300	arces of Politicarits
Part D – Pro	ovide data for the sto	orm event(s) which res	ulted in the maxim	um values for the flow we	ighted o	composite :	sample.	
4	2.	3.		4.			5.	C
1. Date of Storm Event	Duration of Storm Event (in minutes)	Total rai during storr (in inch	m event	Number of hours betw beginning of storm meas and end of previous measurable rain eve	sured s	ra (gallo)	flow rate during in event ns/minute or cify units)	6. Total flow from rain event (gallons or specify units)
7. Provide a	description of the me	ethod of flow measurer	ment or estimate.					

Form Approved. OMB No. 2040-0086 Approval expires 5-31-92

VII. Discharge information (Continued from page 3 of Form 2F) OUTFALL 003

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.


Pollutant and CAS Number (if available)		Maximum Values (include units)		erage Values oclude units)	Number		
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
Oil and Grease		N/A					
Biological Oxygen Demand (BOD5)							
Chemical Oxygen Demand (COD)							
Total Suspended Solids (TSS)							
Total Nitrogen							
Total Phosphorus							
pH	Minimum (1)	Maximum (2)	Minimum ₍₁₎	Maximum (2)			

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

	Maximı <i>(inclu</i>	um Values ide units)	Ave (inc	rage Values clude units)	Number		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
			(1)				

Continued from the Front

	(inclu	um Values de units)	(ir	erage Values oclude units)	N	lumber		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	E	of Storm Events ampled	Sou	urces of Pollutants
(II available)	Minutes	Composite	Minutes	Composite	36	ampieu	300	arces of Politicarits
Part D – Pro	ovide data for the sto	orm event(s) which res	ulted in the maxim	um values for the flow we	ighted o	composite :	sample.	
4	2.	3.		4.			5.	C
1. Date of Storm Event	Duration of Storm Event (in minutes)	Total rai during storr (in inch	m event	Number of hours betw beginning of storm meas and end of previous measurable rain eve	sured s	ra (gallo)	flow rate during in event ns/minute or cify units)	6. Total flow from rain event (gallons or specify units)
7. Provide a	description of the me	ethod of flow measurer	ment or estimate.					



AMELIA LUMBER COMPANY, INC.

FIGURE 1




FIGURE 2

PROVIDED AS A FULL SIZE DRAWING

STORMWATER MONITORING

Amelia Lumber Company, Inc.

October 28, 2015

	Outfall 001	Outfall 002	Outfall 003
рН	6.7	6.7	6.8
Temperature ° C	16.4	15.9	16.6
Flow Duration	45 min.	15 min.	10 min.
Max Flow Rate	38 gpm	4 gpm	2 gpm
Total Flow, MG (Max.)	0.0017	0.00006	0.00002

Rainfall Duration = 12 hours

Total Rainfall = 0.38 inches

Previous Rainfall Event = 18 days



Certificate of Analysis

Final Report

Laboratory Order ID 15J0695

Client Name: C.E. Wise, Inc. Date Received: October 29, 2015 13:45

P.O. Box 1017 Date Issued: November 12, 2015 12:09

Powhatan, VA 23139

Project Number: VPDES

Submitted To: Chris Wise Purchase Order:

Client Site I.D.: Amelia Lumber

E0 70/415

Enclosed are the results of analyses for samples received by the laboratory on 10/29/2015 13:45. If you have any questions concerning this report, please feel free to contact the laboratory.

Sincerely,

Ted Soyars

Laboratory Manager

End Notes:

The test results listed in this report relate only to the samples submitted to the laboratory and as received by the Laboratory.

Unless otherwise noted, the test results for solid materials are calculated on a wet weight basis. Analyses for pH, dissolved oxygen, temperature, residual chlorine and sulfite that are performed in the laboratory do not meet NELAC requirements due to extremely short holding times. These analyses should be performed in the field. The results of field analyses performed by the Sampler included in the Certificate of Analysis are done so at the client's request and are not included in the laboratory's fields of certification nor have they been audited for adherence to a reference method or procedure.

The signature on the final report certifies that these results conform to all applicable NELAC standards unless otherwise specified. For a complete list of the Laboratory's NELAC certified parameters please contact customer service.

This report shall not be reproduced except in full without the expressed and written approval of an authorized representative of Air Water & Soil Laboratories, Inc.









Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received: October 29, 2015 13:45

P.O. Box 1017

Chris Wise

Date Issued: November 12, 2015 12:09

Powhatan VA, 23139

Project Number: VPDES

Client Site I.D.: Amelia Lumber

Submitted To:

Purchase Order:

ANALYTICAL REPORT FOR SAMPLES

Laboratory Order ID 15J0695

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Outfall 001	15J0695-01	Waste Water	10/28/2015 12:15	10/29/2015 13:45
Outfall 002	15J0695-02	Waste Water	10/28/2015 12:00	10/29/2015 13:45
Outfall 003	15J0695-03	Waste Water	10/28/2015 11:50	10/29/2015 13:45



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Date Issued:

November 12, 2015 12:09

Powhatan VA, 23139
Submitted To: Chris Wise

Project Number:

VPDES

Client Site I.D.: Amelia Lumber

Purchase Order:

Laboratory Order ID: 15J0695

Analytical Results

Sample I.D. Outfall 001

Laboratory Sample ID: 15J0695-01

Date/Time Sampled: 10/28/2015 12:15

					Reporting		Sample Prep	Analysis	
Parameter	Samp ID	Method	Result	Qual	Limit	D.F.	Date/Time	Date/Time	Analyst
Metals (Total) by EPA 200	Series Method	s							
Arsenic	01	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	11/04/15 14:15	11/11/15 13:59	KEW
Calcium	01	EPA200.7 Rev 4.4	11.8 mg/L		0.0500	1	11/04/15 14:15	11/11/15 13:59	KEW
Chromium	01	EPA200.7 Rev 4.4	0.0192 mg/L		0.0100	1	11/04/15 14:15	11/11/15 13:59	KEW
Copper	01	EPA200.7 Rev 4.4	0.0128 mg/L		0.0100	1	11/04/15 14:15	11/11/15 13:59	KEW
Hardness	01	SM22 2340B-2011	46.5 mg/L		0.166	1	11/04/15 14:15	11/11/15 13:59	KEW
Magnesium	01	EPA200.7 Rev 4.4	4.11 mg/L		0.0100	1	11/04/15 14:15	11/11/15 13:59	KEW
Zinc	01	EPA200.7 Rev 4.4	0.0500 mg/L		0.0100	1	11/04/15 14:15	11/11/15 13:59	KEW
Wet Chemistry Analysis									
BOD	01	SM22 5210B-2011	12.8 mg/L		2.0	1	10/30/15 09:35	11/04/15 13:34	CWO
COD	01	SM22 5220D-2011	59.0 mg/L		10.0	1	11/04/15 08:45	11/04/15 08:45	LBH
Nitrate+Nitrite as N	01RE3	SM22 4500-NO3F-2011	706 mg/L		50.0	1	11/02/15 18:20	11/02/15 18:20	RAC
Nitrogen, Total	01	Calc.	707 mg/L		50.0	1	11/05/15 13:40	11/05/15 13:40	RAC
Oil and Grease	01	EPA1664A	9.5 mg/L		5.0	1	11/06/15 16:09	11/06/15 16:09	LBH
Phosphorus, Total	01	SM22 4500PE-2011	0.30 mg/L		0.02	1	10/30/15 11:54	11/02/15 07:06	CWO
TKN as N	01	EPA351.2 R2.0	0.83 mg/L		0.50	1	11/05/15 13:40	11/05/15 13:40	DLF
TSS	01	SM22 2540D-2011	114 mg/L		1.0	1	11/03/15 13:49	11/03/15 13:49	LBH



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

Submitted To: Chris Wise

Project Number:

VPDES

Client Site I.D.: Amelia Lumber

Purchase Order:

Laboratory Order ID: 15J0695

Analytical Results

Sample I.D. Outfall 002

Laboratory Sample ID: 15J0695-02

Date/Time Sampled: 10/28/2015 12:00

					Reporting		Cample Dren	Analysis	
Parameter	Samp ID	Method	Result	Qual	Limit	D.F.	Sample Prep Date/Time	Analysis Date/Time	Analyst
Metals (Total) by EPA 200 Seri	ies Method	ls							
Arsenic	02	EPA200.7 Rev 4.4	0.0216 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:04	KEW
Calcium	02	EPA200.7 Rev 4.4	16.8 mg/L		0.0500	1	11/04/15 14:15	11/11/15 14:04	KEW
Chromium	02	EPA200.7 Rev 4.4	0.0840 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:04	KEW
Copper	02	EPA200.7 Rev 4.4	0.107 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:04	KEW
Hardness	02	SM22 2340B-2011	58.5 mg/L		0.166	1	11/04/15 14:15	11/11/15 14:04	KEW
Magnesium	02	EPA200.7 Rev 4.4	4.05 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:04	KEW
Zinc	02	EPA200.7 Rev 4.4	0.0215 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:04	KEW
Wet Chemistry Analysis									
BOD	02	SM22 5210B-2011	5.0 mg/L		2.0	1	10/30/15 09:39	11/04/15 13:34	CWO
COD	02	SM22 5220D-2011	17.3 mg/L		10.0	1	11/04/15 08:45	11/04/15 08:45	LBH
Nitrate+Nitrite as N	02RE1	SM22 4500-NO3F-2011	706 mg/L		50.0	1	11/02/15 19:00	11/02/15 19:00	RAC
Nitrogen, Total	02	Calc.	706 mg/L		50.0	1	11/05/15 10:40	11/05/15 10:40	RAC
Oil and Grease	02	EPA1664A	<5.0 mg/L		5.0	1	11/06/15 16:09	11/06/15 16:09	LBH
Phosphorus, Total	02	SM22 4500PE-2011	0.10 mg/L		0.02	1	10/30/15 11:54	11/02/15 07:06	CWO
TKN as N	02	EPA351.2 R2.0	<0.50 mg/L		0.50	1	11/05/15 10:40	11/05/15 10:40	DLF
TSS	02	SM22 2540D-2011	18.0 mg/L		1.0	1	11/03/15 13:49	11/03/15 13:49	LBH



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Date Issued:

November 12, 2015 12:09

Powhatan VA, 23139
Submitted To: Chris Wise

Project Number:

VPDES

Client Site I.D.: Amelia Lumber

Purchase Order:

Laboratory Order ID: 15J0695

Analytical Results

Sample I.D. Outfall 003

Laboratory Sample ID: 15J0695-03

Date/Time Sampled: 10/28/2015 11:50

					Reporting		Cample Dren	Analysis	
Parameter	Samp ID	Method	Result	Qual	Limit	D.F.	Sample Prep Date/Time	Analysis Date/Time	Analyst
Metals (Total) by EPA 200	Series Method	ls							
Arsenic	03	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:10	KEW
Calcium	03	EPA200.7 Rev 4.4	6.81 mg/L		0.0500	1	11/04/15 14:15	11/11/15 14:10	KEW
Chromium	03	EPA200.7 Rev 4.4	0.0186 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:10	KEW
Copper	03	EPA200.7 Rev 4.4	0.0221 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:10	KEW
Hardness	03	SM22 2340B-2011	31.6 mg/L		0.166	1	11/04/15 14:15	11/11/15 14:10	KEW
Magnesium	03	EPA200.7 Rev 4.4	3.54 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:10	KEW
Zinc	03	EPA200.7 Rev 4.4	0.0231 mg/L		0.0100	1	11/04/15 14:15	11/11/15 14:10	KEW
Wet Chemistry Analysis									
BOD	03	SM22 5210B-2011	48.3 mg/L		2.0	1	10/30/15 09:50	11/04/15 13:34	CWO
COD	03	SM22 5220D-2011	122 mg/L		10.0	1	11/04/15 08:45	11/04/15 08:45	LBH
Nitrate+Nitrite as N	03	SM22 4500-NO3F-2011	704 mg/L		20.0	1	11/02/15 19:03	11/02/15 19:03	RAC
Nitrogen, Total	03	Calc.	705 mg/L		20.0	1	11/10/15 11:40	11/10/15 11:40	CWO
Oil and Grease	03	EPA1664A	<5.0 mg/L		5.0	1	11/06/15 16:09	11/06/15 16:09	LBH
Phosphorus, Total	03	SM22 4500PE-2011	0.20 mg/L		0.02	1	10/30/15 11:54	11/02/15 07:06	CWO
TKN as N	03	EPA351.2 R2.0	1.20 mg/L		0.50	1	11/10/15 11:40	11/10/15 11:40	CWO
TSS	03	SM22 2540D-2011	65.0 mg/L		1.0	1	11/03/15 13:49	11/03/15 13:49	LBH



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Client Site I.D.: Amelia Lumber

Date Received: October 29, 2015 13:45

November 12, 2015 12:09

Project Number: VPDES

Purchase Order:

Date Issued:

Analytical Summary

Preparation Method:

Wet Chemistry Analysis Preparation Method: [CALC]

Sample ID	Preparation Factors Initial / Final	Method	Batch ID	Sequence ID	Calibration ID
Metals (Total) by EPA	A 200 Series Methods	Preparation Method:	EPA200.2/R2	2.8	
15J0695-01	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BYK0149	SYK0378	AK50056
15J0695-02	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BYK0149	SYK0378	AK50056
15J0695-03	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BYK0149	SYK0378	AK50056
Sample ID	Preparation Factors Initial / Final	Method	Batch ID	Sequence ID	Calibration ID
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet	Chem	
15J0695-01	300 mL / 300 mL	SM22 5210B-2011	BYJ0873	SYK0122	
15J0695-02	300 mL / 300 mL	SM22 5210B-2011	BYJ0873	SYK0122	
15J0695-03	300 mL / 300 mL	SM22 5210B-2011	BYJ0873	SYK0122	
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet	Chem	
15J0695-01	25.0 mL / 25.0 mL	SM22 4500PE-2011	BYJ0876	SYK0005	AG50049
15J0695-02	25.0 mL / 25.0 mL	SM22 4500PE-2011	BYJ0876	SYK0005	AG50049
15J0695-03	25.0 mL / 25.0 mL	SM22 4500PE-2011	BYJ0876	SYK0005	AG50049
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet	Chem	
15J0695-01	100 mL / 100 mL	SM22 2540D-2011	BYJ0880	SYJ0996	
15J0695-02	300 mL / 300 mL	SM22 2540D-2011	BYJ0880	SYJ0996	
15J0695-03	200 mL / 200 mL	SM22 2540D-2011	BYJ0880	SYJ0996	
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet	Chem	
15J0695-01	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BYK0033	SYK0049	AK50011
15J0695-01RE1	0.250 mL / 5.00 mL	SM22 4500-NO3F-2011	BYK0033	SYK0049	AK50011
15J0695-01RE2	0.0500 mL / 10.0 mL	SM22 4500-NO3F-2011	BYK0033	SYK0049	AK50011
15J0695-01RE3	0.200 mL / 100 mL	SM22 4500-NO3F-2011	BYK0033	SYK0049	AK50011
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet	Chem	
15J0695-02	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BYK0035	SYK0049	AK50011
15J0695-02RE1	0.200 mL / 100 mL	SM22 4500-NO3F-2011	BYK0035	SYK0049	AK50011
15J0695-03	0.0500 mL / 10.0 mL	SM22 4500-NO3F-2011	BYK0035	SYK0049	AK50011
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet	Chem	



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Client Site I.D.: Amelia Lumber

Date Received: October 29, 2015 13:45

Date Issued: November 12, 2015 12:09

Project Number: VPDES

Purchase Order:

Sample ID	Preparation Factors Initial / Final	Method	Batch ID	Sequence ID	Calibration ID
15J0695-01	2.00 mL / 2.00 mL	SM22 5220D-2011	BYK0068	SYK0090	AG50029
15J0695-02	2.00 mL / 2.00 mL	SM22 5220D-2011	BYK0068	SYK0090	AG50029
15J0695-03	2.00 mL / 2.00 mL	SM22 5220D-2011	BYK0068	SYK0090	AG50029
Vet Chemistry Anal	lysis	Preparation Method:	No Prep Wet	Chem	
I5J0695-01	25.0 mL / 25.0 mL	EPA351.2 R2.0	BYK0138	SYK0185	AK50028
5J0695-02	25.0 mL / 25.0 mL	EPA351.2 R2.0	BYK0138	SYK0185	AK50028
Vet Chemistry Anal	lysis	Preparation Method:	No Prep Wet	Chem	
5J0695-01	930 mL / 930 mL	EPA1664A	BYK0143	SYK0241	
5J0695-02	1000 mL / 1000 mL	EPA1664A	BYK0143	SYK0241	
5J0695-03	975 mL / 975 mL	EPA1664A	BYK0143	SYK0241	
Vet Chemistry Anal	lysis	Preparation Method:	No Prep Wet	Chem	
5J0695-03	25.0 mL / 25.0 mL	EPA351.2 R2.0	BYK0289	SYK0319	AK50051



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

RPD

Submitted To:

Chris Wise

Project Number:

VPDES

%REC

Client Site I.D.:

Amelia Lumber

Purchase Order:

Source

Metals (Total) by EPA 200 Series Methods - Quality Control

Air Water and Soil Laboratories, Inc.

Spike

Reporting

Analyte	Result	Limit	Units	Level R	esult ⁹	%REC	Limits	RPD	Limit	Qual
Batch BYK0149 - EPA200.2/R2.8										
Blank (BYK0149-BLK1)				Prepared: 11/0	04/2015 A	nalyzed	d: 11/09/2	2015		
Arsenic	<0.0100 mg/L	0.0100	mg/L							
Calcium	<0.0500 mg/L	0.0500	mg/L							
Chromium	<0.0100 mg/L	0.0100	mg/L							
Copper	<0.0100 mg/L	0.0100	mg/L							
Magnesium	<0.0100 mg/L	0.0100	mg/L							
Zinc	<0.0100 mg/L	0.0100	mg/L							
.CS (BYK0149-BS1)				Prepared: 11/0	04/2015 A	nalyzed	d: 11/09/2	2015		
Arsenic	0.569 mg/L	0.0100	mg/L	0.500		114	80-120			
Calcium	0.576 mg/L	0.0500	mg/L	0.500		115	80-120			
Chromium	0.567 mg/L	0.0100	mg/L	0.500		113	80-120			
Copper	0.563 mg/L	0.0100	mg/L	0.500		113	80-120			
/lagnesium	0.587 mg/L	0.0100	mg/L	0.500		117	80-120			
linc	0.587 mg/L	0.0100	mg/L	0.500		117	80-120			
_CS Dup (BYK0149-BSD1)				Prepared: 11/0	04/2015 A	nalyzed	d: 11/09/2	2015		
Arsenic	0.567 mg/L	0.0100	mg/L	0.500		113	80-120	0.243	20	
Calcium	0.577 mg/L	0.0500	mg/L	0.500		115	80-120	0.148	20	
Chromium	0.567 mg/L	0.0100	mg/L	0.500		113	80-120	0.000977	20	
Copper	0.564 mg/L	0.0100	mg/L	0.500		113	80-120	0.163	20	
Magnesium	0.586 mg/L	0.0100	mg/L	0.500		117	80-120	0.202	20	
Zinc	0.589 mg/L	0.0100	mg/L	0.500		118	80-120	0.439	20	
Matrix Spike (BYK0149-MS1)	Sour	ce: 15J0689	9-12	Prepared: 11/0	04/2015 A	nalyzed	d: 11/09/2	2015		
Arsenic	0.589 mg/L	0.0100	mg/L	0.500 0.022	4 mg/L	113	75-125			
Calcium	387 mg/L	0.0500	mg/L	0.500 406 m	ng/L	-3840	75-125			M, E
Chromium	0.536 mg/L	0.0100	mg/L	0.500 < 0.01	00 mg/L	107	75-125			
Copper	0.593 mg/L	0.0100	mg/L	0.500 < 0.01	00 mg/L	117	75-125			
Magnesium	19.1 mg/L	0.0100	mg/L	0.500 19.4 r	ng/L	-60.7	75-125			M, E
Zinc	0.561 mg/L	0.0100	mg/L	0.500 0.018	4 mg/L	109	75-125			



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

Submitted To: C

Chris Wise

Project Number:

VPDES

%REC

Client Site I.D.:

Amelia Lumber

Purchase Order:

Source

Metals (Total) by EPA 200 Series Methods - Quality Control

Air Water and Soil Laboratories, Inc.

Spike

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
Batch BYK0149 - EPA200.2/R2.8										
Matrix Spike (BYK0149-MS2)	Sour	ce: 15K006	7-02	Prepared:	11/04/2015	Analyze	d: 11/09/2	015		
Arsenic	0.583 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	117	75-125			
Calcium	26.3 mg/L	0.0500	mg/L	0.500 2	26.0 mg/L	49.5	75-125			M, E
Chromium	0.574 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	114	75-125			
Copper	0.596 mg/L	0.0100	mg/L	0.500 0).0130 mg/L	117	75-125			
Matrix Spike (BYK0149-MS3)	Sour	ce: 15K006	7-02RE1	Prepared:	11/04/2015	Analyze	d: 11/10/2	015		
Chromium	0.525 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	104	75-125			
Magnesium	4.34 mg/L	0.0100	mg/L	0.500 3	3.94 mg/L	80.1	75-125			
Zinc	0.648 mg/L	0.0100	mg/L	0.500 0).126 mg/L	105	75-125			
Matrix Spike Dup (BYK0149-MSD1)	Sour	ce: 15J0689	9-12	Prepared:	11/04/2015	Analyze	d: 11/09/2	015		
Arsenic	0.620 mg/L	0.0100	mg/L	0.500 0).0224 mg/L	119	75-125	5.02	20	
Calcium	406 mg/L	0.0500	mg/L	0.500 4	06 mg/L	41.2	75-125	4.89	20	M, E
Chromium	0.560 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	112	75-125	4.36	20	
Copper	0.619 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	122	75-125	4.38	20	
Magnesium	20.0 mg/L	0.0100	mg/L	0.500 1	9.4 mg/L	118	75-125	4.58	20	Е
Zinc	0.590 mg/L	0.0100	mg/L	0.500 0).0184 mg/L	114	75-125	4.91	20	
Matrix Spike Dup (BYK0149-MSD2)	Sour	ce: 15K006	7-02	Prepared:	11/04/2015	Analyze	d: 11/09/2	015		
Arsenic	0.585 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	117	75-125	0.228	20	
Calcium	26.4 mg/L	0.0500	mg/L	0.500 2	26.0 mg/L	81.3	75-125	0.603	20	E
Chromium	0.573 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	114	75-125	0.307	20	
Copper	0.593 mg/L	0.0100	mg/L	0.500 0	0.0130 mg/L	116	75-125	0.574	20	
Matrix Spike Dup (BYK0149-MSD3)	Sour	ce: 15K006	7-02RE1	Prepared:	11/04/2015	Analyze	d: 11/10/2	015		
Chromium	0.520 mg/L	0.0100	mg/L	0.500 <	0.0100 mg/L	103	75-125	1.08	20	
Magnesium	4.34 mg/L	0.0100	mg/L	0.500 3	3.94 mg/L	80.2	75-125	0.0151	20	
Zinc	0.638 mg/L	0.0100	mg/L	0.500 0).126 mg/L	102	75-125	1.61	20	
	0.000 mg/L	0.0100	mg/L	0.000 0	0 mg/L	102	.0 120	1.01	20	



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

Submitted To:

Chris Wise

Project Number:

VPDES

Client Site I.D.:

Amelia Lumber

Purchase Order:

Wet Chemistry Analysis - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BYJ0873 - No Prep Wet Chem										
Blank (BYJ0873-BLK1)				Prepared:	10/30/201	5 Analyze	d: 11/04/20	015		
BOD	<2.0 mg/L	2.0	mg/L							
LCS (BYJ0873-BS1)				Prepared:	10/30/201	5 Analyze	d: 11/04/20)15		
BOD	187 mg/L	2.0	mg/L	198		94.4	84.6-115.4			
Duplicate (BYJ0873-DUP1)	Sour	ce: 15J0695	-01	Prepared:	10/30/201	5 Analyze	d: 11/04/20)15		
BOD	12.2 mg/L	2.0	mg/L	12	2.8 mg/L			4.80	20	
Batch BYJ0876 - No Prep Wet Chem										
Blank (BYJ0876-BLK1)				Prepared:	10/30/201	5 Analyze	d: 11/02/20)15		
Phosphorus, Total	<0.02 mg/L	0.02	mg/L							
LCS (BYJ0876-BS1)				Prepared:	10/30/201	5 Analyze	d: 11/02/20)15		
Phosphorus, Total	0.46 mg/L	0.02	mg/L	0.500		92.6	80-120			
Matrix Spike (BYJ0876-MS1)	Sour	ce: 15J0686	-04	Prepared:	10/30/201	5 Analyze	d: 11/02/20	015		
Phosphorus, Total	0.56 mg/L	0.02	mg/L	0.500 0.	05 mg/L	101	80-120			
Matrix Spike Dup (BYJ0876-MSD1)	Sour	ce: 15J0686	-04	Prepared:	10/30/201	5 Analyze	d: 11/02/20)15		
Phosphorus, Total	0.52 mg/L	0.02	mg/L	0.500 0.	05 mg/L	92.6	80-120	8.16	20	
Batch BYJ0880 - No Prep Wet Chem										
Blank (BYJ0880-BLK1)				Prepared a	& Analyzed	I: 11/03/20	015			
TSS	<1.0 mg/L	1.0	mg/L		-					



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

RPD

Submitted To:

Chris Wise

Project Number:

VPDES

%REC

Client Site I.D.:

Amelia Lumber

Purchase Order:

Source

Wet Chemistry Analysis - Quality Control

Air Water and Soil Laboratories, Inc.

Spike

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
Batch BYJ0880 - No Prep Wet Chem										
LCS (BYJ0880-BS1)				Prepared	I & Analyzed	d: 11/03/2	015			
TSS	91.0 mg/L	1.0	mg/L	100		91.0	80-120			
Duplicate (BYJ0880-DUP1)	Sou	rce: 15J069	5-01	Prepared	l & Analyzed	d: 11/03/2	015			
TSS	128 mg/L	1.0	mg/L		114 mg/L			11.6	30	
Duplicate (BYJ0880-DUP2)	Sou	rce: 15J069	5-02	Prepared	I & Analyzed	d: 11/03/2	015			
TSS	32.0 mg/L	1.0	mg/L		18.0 mg/L			56.0	30	Р
Batch BYK0033 - No Prep Wet Chem										
Blank (BYK0033-BLK1)				Prepared	l & Analyzed	d: 11/02/2	015			
Nitrate+Nitrite as N	<0.10 mg/L	0.10	mg/L							
LCS (BYK0033-BS1)				Prepared	l & Analyzed	d: 11/02/2	015			
Nitrate+Nitrite as N	2.52 mg/L	0.1	mg/L	2.50		101	90-110			
Matrix Spike (BYK0033-MS1)	Sou	rce: 15J0658	8-04	Prepared	l & Analyzed	d: 11/02/2	015			
Nitrate+Nitrite as N	2.96 mg/L	0.10	mg/L	2.50	<0.10 mg/L	118	90-110			M
Matrix Spike (BYK0033-MS2)	Sou	rce: 15J0690	0-06	Prepared	l & Analyzed	d: 11/02/2	015			
Nitrate+Nitrite as N	3.47 mg/L	0.10	mg/L	2.50	0.66 mg/L	112	90-110			M
Matrix Spike Dup (BYK0033-MSD1)	Sou	rce: 15J0658	8-04	Prepared	l & Analyzed	d: 11/02/2	015			
Nitrate+Nitrite as N	2.66 mg/L	0.10	mg/L	2.50	<0.10 mg/L	106	90-110	10.8	20	
Matrix Spike Dup (BYK0033-MSD2)	Sou	rce: 15J0690	0-06	Prepared	l & Analyzed	d: 11/02/2	015			
Nitrate+Nitrite as N	3.47 mg/L	0.10	mg/L	2.50	0.66 mg/L	112	90-110	0.00	20	M



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

Submitted To:

Chris Wise

Project Number:

VPDES

Client Site I.D.:

Amelia Lumber

Purchase Order:

Wet Chemistry Analysis - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BYK0035 - No Prep Wet Chem										
Blank (BYK0035-BLK1)				Prepared	d & Analyzed	: 11/02/20	015			
Nitrate+Nitrite as N	<0.10 mg/L	0.10	mg/L	•	•					
LCS (BYK0035-BS1)				Prepared	d & Analyzed	: 11/02/20	015			
Nitrate+Nitrite as N	2.73 mg/L	0.1	mg/L	2.50	·	109	90-110			
Matrix Spike (BYK0035-MS1)	Sour	ce: 15J0708	-01	Prepared	d & Analyzed	: 11/02/20	015			
Nitrate+Nitrite as N	3.19 mg/L	0.10	mg/L	2.50	<0.10 mg/L	128	90-110			M
Matrix Spike (BYK0035-MS2)	Sour	ce: 15J0708	-03	Prepared	d & Analyzed	: 11/02/20	015			
Nitrate+Nitrite as N	2.97 mg/L	0.10	mg/L	2.50	<0.10 mg/L	117	90-110			M
Matrix Spike Dup (BYK0035-MSD1)	Sour	ce: 15J0708	-01	Prepared	d & Analyzed	: 11/02/20	015			
Nitrate+Nitrite as N	2.95 mg/L	0.10	mg/L	2.50	<0.10 mg/L	118	90-110	7.75	20	M
Matrix Spike Dup (BYK0035-MSD2)	Sour	ce: 15J0708	-03	Prepared	d & Analyzed	: 11/02/20	015			
Nitrate+Nitrite as N	2.95 mg/L	0.10	mg/L	2.50	<0.10 mg/L	117	90-110	0.405	20	М
Batch BYK0068 - No Prep Wet Chem										
Blank (BYK0068-BLK1)				Prepared	d & Analyzed	: 11/04/20	015			
COD	<10.0 mg/L	10.0	mg/L							
LCS (BYK0068-BS1)				Prepared	d & Analyzed	: 11/04/20	015			
COD	47.4 mg/L	10.0	mg/L	50.0		94.8	80-120			
Matrix Spike (BYK0068-MS1)	Sour	ce: 15J0665	-01	Prepared	d & Analyzed	: 11/04/20	015			
COD	409 mg/L	50.0	mg/L	250	127 mg/L	113	70-130			



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Date Issued:

November 12, 2015 12:09

Submitted To:

Chris Wise

Project Number:

VPDES

Client Site I.D.:

Amelia Lumber

Powhatan VA, 23139

Purchase Order:

ruichase Oluci.

Wet Chemistry Analysis - Quality Control

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
Batch BYK0068 - No Prep Wet Chem										
Matrix Spike Dup (BYK0068-MSD1)	Sour	rce: 15J066	5-01	Prepared	d & Analyzed	<u>d: 11/04/2(</u>	015			
COD	391 mg/L	50.0	mg/L	250	127 mg/L	106	70-130	4.38	20	
Batch BYK0138 - No Prep Wet Chem										
Blank (BYK0138-BLK1)				Prepared	d & Analyzed	d: 11/05/20	015			
TKN as N	<0.50 mg/L	0.50	mg/L							
LCS (BYK0138-BS1)				Prepared	d & Analyzed	<u>1: 11/05/20</u>)15			
ΓKN as N	9.95 mg/L	0.50	mg/L	10.0		99.5	90-110			
_CS Dup (BYK0138-BSD1)				Prepared	d & Analyzed	<u>1: 11/05/20</u>)15			
ΓKN as N	9.91 mg/L	0.50	mg/L	10.0		99.1	90-110	0.413	20	
Matrix Spike (BYK0138-MS1)	Sour	rce: 15K000	9-03	Prepared	d & Analyzed	<u>1: 11/05/20</u>)15			
ΓKN as N	12.2 mg/L	0.50	mg/L	10.0	1.82 mg/L	104	90-110			
Matrix Spike (BYK0138-MS2)	Sour	rce: 15K003	7-01	Prepared	d & Analyzed	<u>1: 11/05/20</u>)15			
ΓKN as N	10.2 mg/L	0.50	mg/L	10.0	<0.50 mg/L	96.9	90-110			
Matrix Spike Dup (BYK0138-MSD1)	Sour	rce: 15K000	9-03	Prepared	d & Analyzed	<u>1: 11/05/20</u>)15			
ΓKN as N	11.9 mg/L	0.50	mg/L	10.0	1.82 mg/L	101	90-110	2.20	20	
Matrix Spike Dup (BYK0138-MSD2)	Sour	rce: 15K003	7-01	Prepared	d & Analyzed	<u>1: 11/05/20</u>)15			
TKN as N	10.5 mg/L	0.50	mg/L	10.0	<0.50 mg/L	99.9	90-110	2.87	20	
Batch BYK0143 - No Prep Wet Chem										
Blank (BYK0143-BLK1)				Prepared	d & Analyzed	d: 11/06/20	015			
Oil and Grease	<5.0 mg/L	5.0	mg/L							



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Date Issued:

November 12, 2015 12:09

Powhatan VA, 23139

Project Number:

VPDES

Submitted To: Client Site I.D.:

Chris Wise Amelia Lumber

Purchase Order:

Wet Chemistry Analysis - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BYK0143 - No Prep Wet Chem										
LCS (BYK0143-BS1)				Prepared	& Analyzed	d: 11/06/20	015			
Oil and Grease	38.6 mg/L	5.0	mg/L	40.0	,	96.5	78-114			
LCS Dup (BYK0143-BSD1)				Prepared	& Analyzed	d: 11/06/20	015			
Oil and Grease	39.2 mg/L	5.0	mg/L	40.0		98.0	78-114	1.54	20	
Duplicate (BYK0143-DUP1)	Sour	ce: 15J0739	-01	Prepared	& Analyzed	d: 11/06/20	015			
Oil and Grease	<5.0 mg/L	5.0	mg/L	•	5.0 mg/L			NA	20	
Matrix Spike (BYK0143-MS1)	Sour	ce: 15K0074	1-01	Prepared	& Analyzed	d: 11/06/20	015			
Oil and Grease	38.6 mg/L	5.0	mg/L		.1 mg/L	70.9	78-114			M
Batch BYK0289 - No Prep Wet Chem										
Blank (BYK0289-BLK1) TKN as N	<0.50 mg/L	0.50	mg/L	Prepared	& Analyzed	d: 11/10/20	015			
LCS (BYK0289-BS1)	<0.30 Hig/L	0.30	IIIg/L	Prepared	& Analyzed	d: 11/10/20	015			
TKN as N	9.89 mg/L	0.50	mg/L	10.0	•	98.9	90-110			
LCS Dup (BYK0289-BSD1)				Prepared	& Analyzed	d: 11/10/20	015			
TKN as N	10.2 mg/L	0.50	mg/L	10.0		102	90-110	3.28	20	
Matrix Spike (BYK0289-MS1)	Sour	ce: 15K0097	7-05	Prepared	& Analyzed	d: 11/10/20	015			
TKN as N	11.1 mg/L	0.50	mg/L	10.0 0	.70 mg/L	104	90-110			
Matrix Spike (BYK0289-MS2)	Sour	ce: 15J0708	-03	Prepared	& Analyzed	d: 11/10/20	015			
TKN as N	10.5 mg/L	0.50	mg/L	10.0 0	.68 mg/L	98.1	90-110			



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

October 29, 2015 13:45

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

November 12, 2015 12:09

Submitted To:

Chris Wise

Project Number:

VPDES

Client Site I.D.:

TKN as N

Amelia Lumber

Purchase Order:

10.0 0.70 mg/L

Wet Chemistry Analysis - Quality Control

Air Water and Soil Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BYK0289 - No Prep Wet Chem										
Matrix Spike Dup (BYK0289-MSD1)	Soi	urce: 15K009	7-05	Prepared	& Analyzed	I: 11/10/20)15			

mg/L

Matrix Spike Dup (BYK0289-MSD2) Source: 15J0708-03 Prepared & Analyzed: 11/10/2015 TKN as N 10.8 mg/L 0.50 10.0 0.68 mg/L 101 90-110 2.46 20

0.50

11.1 mg/L

0.280

20

90-110



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

October 29, 2015 13:45

P.O. Box 1017

Chris Wise

Date Issued:

November 12, 2015 12:09

Powhatan VA, 23139

Project Number:

VPDES

Client Site I.D.: Amelia Lumber

Submitted To:

Purchase Order:

Certified Analyses included in this Report

Analyte		Certification	ns	
EPA1664A in Non-Potable Water				
Oil and Grease		VELAP,NC		
EPA200.7 Rev 4.4 in Non-Potable Water				
Arsenic		VELAP,NC		
Calcium		VELAP,NC		
Chromium		VELAP,NC		
Copper		VELAP,NC		
Magnesium		VELAP,NC		
Zinc		VELAP,NC		
EPA351.2 R2.0 in Non-Potable Water				
TKN as N		VELAP,NC		
SM22 2540D-2011 in Non-Potable Water				
TSS		VELAP,NC		
SM22 4500-NO3F-2011 in Non-Potable Water				
Nitrate+Nitrite as N		VELAP		
SM22 4500PE-2011 in Non-Potable Water				
Phosphorus, Total		VELAP,NC		
SM22 5210B-2011 in Non-Potable Water				
BOD		VELAP,NC		
SM22 5220D-2011 in Non-Potable Water				
COD		VELAP,NC		
Code	Description		Lab Number	Expires
MdDOE	Maryland DE Drinking Water		341	12/31/2015
NC	North Carolina DENR		495	12/31/2015
VELAP	NELAC-Virginia Certificate #8074		460021	06/15/2016
WVDEP	West Virginia DEP		350	11/30/2015



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received: October 29, 2015 13:45

P.O. Box 1017 Date Issued: November 12, 2015 12:09

Powhatan VA, 23139

Submitted To: Chris Wise Project Number: VPDES

Client Site I.D.: Amelia Lumber Purchase Order:

Summary of Data Qualifiers

E Estimated concentration, outside calibration range

M Matrix spike recovery is outside established acceptance limits

P Duplicate analysis does not meet the acceptance criteria for precision

RPD Relative Percent Difference

Qual Qualifers

-RE Denotes sample was re-analyzed

D.F. Dilution Factor. Please also see the Preparation Factor in the Analysis Summary section.

TIC Tentatively Identified Compounds are compounds that are identified by comparing the analyte mass spectral pattern with the NIST spectral library. A TIC spectral match is reported when the pattern is at least 75% consistent with the published pattern. Compound concentrations are estimated and are calculated

using an internal standard response factor of 1.



1941 REYMET ROAD **RICHMOND, VIRGINIA 23237** (804) 358-8295 PHONE (804)358-8297 FAX **Chain of Custody** Form #: D1331 Rev. 1.0

Effective: Feb 14, 2014

LABORAT	ORIE	S. II	NC.					N OF							N.		BAUL		PAGEOF	
COMPANY NAME: April	1		1	SOR	ANIS	OICE TO:	(· Ec	WI	IE.	Z	CI	PRO	JECT	NAME	/Quote	#;		SERVICE STREET	
CONTACT: CEWIS	F	フ	· ·		IN	OICE CO					7113			NAME		me			mber	
ADDRESS:				120 S W	IN	OICE ADD	RESS	: 14		Tene			PRC	JECT	NUMB	ER: '	VPD	ie s		16.1.1
PHONE #:					IN	VOICE PHO	ONE #:						P.O.	#:	File		A MINTE			
FAX #:			E	EMAIL:	1700					Hilly			Pret	reatme	nt Pro	gram:				3
Is sample for compliance reporting	na?	YE	1	NO	in the	Is sample	from a	chlorin	ated s	upply	/?	YES (NO	987		1813	PWS I.	D. #:		176
SAMPLER NAME (PRINT):	R		5	Thall	SA	MPLER SI			A	1	7	0	~				Turn A	round		ıy(s)
Matrix Codes: WW=Waste Water/Storm Wa	ter GI	W=G	round	Water DW=D	rinking	Water S=Soil/	Solids O	R=Organ	ic A=Air	WP=	Nipe OT	=Other							COMMENT	
Matrix Godes. WW-Waste Metallication			THE REAL PROPERTY.										LYSIS	/ (PRE	SERV	ATIVE	Ξ)		Preservative Codes: N= C=Hydrochloric Acid S=S H=Sodium Hydroxide A	ulfuric Acid
CLIENT SAMPLE I.D.	Grab	Composite	Field Filtered (Dissolved Metals)	Composite Start Date	Composite Start Time	Grab Date or Composite Stop Date	Grab Time or Composite Stop Time	Time Preserved	Matrix (See Codes)	Number of Containers	755	BoD	N Hasuaca	P Hospers	COD HOSTELD	O+F HEL LZ	Hardness	zn, 64, er. As	Acid Z=Zinc Acetate T Thiosulfate M=Metl Thiosulfate M=Metl PLEASE NOTE PRESER INTERFERENCE CHECK RATE (L/min)	=Sodium hanol EVATIVE(S), KS or PUMP
1) Ortfall out	V					10/28/15	1215	1215	WW	7	/	/	/	/	/	/	1	V		
2)								0.6					/	/	-	/	/	1	Eld July 1	
3) Outtall 002	V					10/28/15	1200	1200	ww	7	/	/	/	V	/	-	/	7		
5) Outfall 003	1	-	73			10/28/15	1150	1150	WW	7	/		1	1	/	1	1	1		
6)						Y. 3		1						1 4 4	- 0.0			5630		
7)												5,65								7 1
8)			144																	7.
9)						1. F. 7. V				\square			ALC I	Later .	11-4-1					
Page 18 of 20	DA 29/15	1	TIME TIME TIME TIME	2.50 (RECEIVE		19 OUT	2015	DATE / DATE / DATE /	#30 TIME 45	Leve Leve Leve	d 11	ackage	LAB U 15J0695	CE	W ielia I				15J0695 11/12/2015	С

Sample Condition Form#: F1302 Rev. #: 6.0 Effective: Jul 31, 2015 Page 1 of 1



1941 Reymet Road • Richmond, Virginia 23237 • Tel: (804) 358-8295

15J0695

					2	Amelia	Lumb	er	
		Sar	nple Con	ditions Checklist	5J0695	Recd: 1	0/29/2	015	Due: 11/12/2015
Open	ed by: (Initials)	Th		Lab ID No.:					v130325002
				Date Cooler Opened:	29	out	2015		
1.	How were sam	ples received?				YES	NO	N/A	
	Tion voic sain	pres received:	Fed Ex [UPS [Courier [Walk In R						
2.	Were custody	seals used?		**			Ø		
3.	If yes, are cust	tody seals unbro	oken and intact	at the date and time of arrival?				P	
4.	Are the custod	y papers filled o	out completely a	nd correctly?		P			
5.	Do all bottle la	bels agree with	custody papers	?		P			
7.	Is the tempera (above freezing		presentative sar	mple within acceptable limits?		P			
8.	If NO, are the	samples just tal	ken and received	d on ice?				P	
9.	Are all sample	s within holding	time for reques	ted laboratory tests?		P			
10.	Is a sufficient a	amount of samp	le provided to p	erform the tests indicated?		P			
11.	Are all sample	s in proper cont	ainers for the ar	nalyses requested?		P			
12.	Are all sample	s appropriately	preserved for th	e analyses requested?		Ø			
13.	Are all volatile	organic contain	ers free of head	space?				Ø	
14.	Are all TOX co	ntainers free of	headspace?					P	
15.			ch VOC sample eceived with the	set? Circle applicable method: e sample set)				8	
	EPA 8011	EPA 504	EPA 8260	EPA 624					
	RSK-175	EPA 8015 (G	RO)	EPA 8021					
	EPA 524	*GRO Wisco	nsin DNR (wate	r and/or methanol trip blank mu	ust be p	provided)			
* See p	reservation log for W	isconsin soil DRC		MMENTS					
			1.34				18.4		
						No.	46.5		
_			1081				Tenas I	4	
FOR L	AB USE ONLY:								-
CrVI pr	eserved date/time:	Altri Ca							
Buffer S	Sol'n ID:	-1.61		Analyst intials:					
1N NaC	OH ID:	or		5N NaOH ID:		THIS DOCUM	MENT IS UN		OLLED WHEN PRINTED Sample Condition 6_0.xls



TOH ID:

Sample Preservation Log

Sample Preservation Log Form #: F1301 Rev # 4.0 Effective: Mar 13, 2015 Page 1 of 1

Order ID	15J0695	

Date Performed: 29 Oct 2015

Analyst Performing Check: P/A = Present/Absent

	ner ID		leta	-	Cyar			Sulfi				Ammor			TKN			Phos, Tot						DRO	Pesticide (8081/608)			SVOC (8270/625)				00					
Sample ID	Container ID	PH Rece	as ived Other	Final pH (If adjust.	pH Rece > 12 (as eived Other	Final pH (If adjust.	pH Rece > 9 C	as ived other	Final pH (If adjust.)	Rec	d as eived Other	Final pH (If adjust.	Re	pH as eceived Other	Final pH	R	pH as teceived 2 Othe	Final pH	(if adjust.)	pH as eceived Other	Final pH	(if adjust.)	pH as Received 2 Other	Final pH (If adjust.)	Res Rec Presen	.CI as eived Absent	Res.Cl P/A (# adjust.)	Res Res	Clas ceived	Res.Cl P/A (if adjust.)	Rec	eived Other	Final pH (If adjust.)	pH a Receiv	s ved ther	Final pH
01	c												# 0 10																					100			
oi	D													/			/	1		/																	
01	6								Wa j																							/					
02	c		018											1									T									0.0				18	V
oz	D										38.6			/		1	/	1		1						Ġ.		3113	,	14 10	2 3	Siv					
02	E													1						9	1		T						- 1		34.4	/		247			
03	c				37			TIP ALL							10			1			1																
ø3	D								34	10.0				/			/			/	1										1		la Vici				
ø3	ϵ																A.											16				/		W.			
																A.																				7.80	L
																		1						N													
																						3		E 11	Ve.								40	1			
				2.0						10 A	2								100				T														
						Va.						7/H-						100					T			2)				(0) (0) (0) (1)				PHO I			
			70													EW.																		10			

Committee of the second								
Page 804 ID:	HNO3 ID:							
	d with MeCl2 within 72 hours of sample collection - NOTIFY EXTRACTION DEPARTMENT.							

STORMWATER MONITORING

Amelia Lumber Company, Inc.

February 21, 2015

	Outfall 001	Outfall 002	Outfall 003
рН	6.9	7.2	7.1
Flow Duration	60 min.	20 min.	15 min.
Max Flow Rate	84 gpm	4.5 gpm	2.5 gpm
Total Flow, MG (Max.)	0.005	0.00009	0.00004

Rainfall Duration = 3 hours

Total Rainfall = 0.48 inches

Previous Rainfall Event = 4 days



Certificate of Analysis

Final Report

Laboratory Order ID 16B0491

Client Name: C.E. Wise, Inc. Date Received: February 22, 2016 13:36

P.O. Box 1017 Date Issued: March 7, 2016 14:05

Powhatan, VA 23139

Project Number: [none]

Submitted To: Chris Wise Purchase Order:

Client Site I.D.: Permit Renewal

E0 70/415

Enclosed are the results of analyses for samples received by the laboratory on 02/22/2016 13:36. If you have any questions concerning this report, please feel free to contact the laboratory.

Sincerely,

Ted Soyars

Laboratory Manager

End Notes:

The test results listed in this report relate only to the samples submitted to the laboratory and as received by the Laboratory.

Unless otherwise noted, the test results for solid materials are calculated on a wet weight basis. Analyses for pH, dissolved oxygen, temperature, residual chlorine and sulfite that are performed in the laboratory do not meet NELAC requirements due to extremely short holding times. These analyses should be performed in the field. The results of field analyses performed by the Sampler included in the Certificate of Analysis are done so at the client's request and are not included in the laboratory's fields of certification nor have they been audited for adherence to a reference method or procedure.

The signature on the final report certifies that these results conform to all applicable NELAC standards unless otherwise specified. For a complete list of the Laboratory's NELAC certified parameters please contact customer service.

This report shall not be reproduced except in full without the expressed and written approval of an authorized representative of Air Water & Soil Laboratories, Inc.









Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.:

Permit Renewal

Purchase Order:

ANALYTICAL REPORT FOR SAMPLES

Laboratory Order ID 16B0491

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Outfall 001	16B0491-01	Waste Water	02/21/2016 16:40 to 02/21/2016 18:20	02/22/2016 13:36
Outfall 002	16B0491-02	Waste Water	02/21/2016 16:40 to 02/21/2016 18:20	02/22/2016 13:36
Outfall 003	16B0491-03	Waste Water	02/21/2016 16:40 to 02/21/2016 18:20	02/22/2016 13:36



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.: Permit Renewal

Purchase Order:

Laboratory Order ID: 16B0491

Analytical Results

Sample I.D. Outfall 001

Laboratory Sample ID: 16

16B0491-01

Date/Time Sampled: 02/21/2016 18:20

Parameter	Samp ID	Method	Result	Qual	Reporting Limit	D.F.	Sample Prep Date/Time	Analysis Date/Time	Analyst
Metals (Total) by EPA 200	Series Method	s							
Arsenic	01	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:31	CWO
Calcium	01RE1	EPA200.7 Rev 4.4	34.9 mg/L		1.00	20	03/01/16 13:34	03/04/16 16:30	CWO
Chromium	01	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:31	CWO
Copper	01	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:31	CWO
Hardness	01	SM22 2340B-2011	127 mg/L		2.54	20	03/01/16 13:34	03/04/16 16:30	CWO
Magnesium	01	EPA200.7 Rev 4.4	9.72 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:31	CWO
Zinc	01	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:31	CWO
Wet Chemistry Analysis									
BOD	01	SM22 5210B-2011	<2.0 mg/L		2.0	1	02/23/16 10:27	02/23/16 10:27	BBP
COD	01	SM22 5220D-2011	13.1 mg/L		10.0	1	02/23/16 10:00	02/23/16 10:00	DLF
Nitrate+Nitrite as N	01	SM22 4500-NO3F-2011	1.05 mg/L		0.10	1	03/02/16 13:41	03/02/16 13:41	BBP
Nitrogen, Total	01	Calc.	1.32 mg/L		0.50	1	03/03/16 13:21	03/03/16 13:21	BBP
Phosphorus, Total	01	SM22 4500PE-2011	0.04 mg/L		0.02	1	03/02/16 08:30	03/02/16 08:30	LAO
TKN as N	01	EPA351.2 R2.0	<0.50 mg/L		0.50	1	03/03/16 13:21	03/03/16 13:21	BBP
TSS	01	SM22 2540D-2011	5.4 mg/L		1.0	1	02/23/16 08:50	02/23/16 08:50	DLF



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.: Permit Renewal

Purchase Order:

Laboratory Order ID: 16B0491

Analytical Results

Sample I.D. Outfall 002

Laboratory Sample ID: 16

16B0491-02

Date/Time Sampled: 02

02/21/2016 18:20

					Reporting		Sample Prep	Analysis	
Parameter	Samp ID	Method	Result	Qual	Limit	D.F.	Date/Time	Date/Time	Analyst
Metals (Total) by EPA 200	Series Metho	ls							
Arsenic	02	EPA200.7 Rev 4.4	0.0109 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:36	CWO
Calcium	02	EPA200.7 Rev 4.4	13.7 mg/L		0.0500	1	03/01/16 13:34	03/03/16 16:36	CWO
Chromium	02	EPA200.7 Rev 4.4	0.0167 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:36	CWO
Copper	02	EPA200.7 Rev 4.4	0.0356 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:36	CWO
Hardness	02	SM22 2340B-2011	46.6 mg/L		0.166	1	03/01/16 13:34	03/03/16 16:36	CWO
Magnesium	02	EPA200.7 Rev 4.4	3.03 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:36	CWO
Zinc	02	EPA200.7 Rev 4.4	0.0126 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:36	CWO
Wet Chemistry Analysis									
BOD	02	SM22 5210B-2011	<2.0 mg/L		2.0	1	02/23/16 10:29	02/23/16 10:29	BBP
COD	02	SM22 5220D-2011	16.6 mg/L		10.0	1	02/23/16 10:00	02/23/16 10:00	DLF
Nitrate+Nitrite as N	02	SM22 4500-NO3F-2011	2.97 mg/L		0.10	1	03/02/16 13:44	03/02/16 13:44	BBP
Nitrogen, Total	02	Calc.	3.58 mg/L		0.50	1	03/03/16 13:23	03/03/16 13:23	BBP
Phosphorus, Total	02	SM22 4500PE-2011	0.08 mg/L		0.02	1	03/02/16 08:30	03/02/16 08:30	LAO
TKN as N	02	EPA351.2 R2.0	0.61 mg/L		0.50	1	03/03/16 13:23	03/03/16 13:23	BBP
TSS	02	SM22 2540D-2011	3.6 mg/L		1.0	1	02/23/16 08:50	02/23/16 08:50	DLF



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.: Permit Renewal

Purchase Order:

Laboratory Order ID: 16B0491

Analytical Results

Sample I.D. Outfall 003

Laboratory Sample ID:

16B0491-03

Date/Time Sampled: 02/21/2016 18:20

					Reporting		Sample Prep	Analysis	
Parameter	Samp ID	Method	Result	Qual	Limit	D.F.	Date/Time	Analysis Date/Time	Analyst
Metals (Total) by EPA 200 S	eries Method	ls							
Arsenic	03	EPA200.7 Rev 4.4	<0.0100 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:41	CWO
Calcium	03	EPA200.7 Rev 4.4	14.2 mg/L		0.0500	1	03/01/16 13:34	03/03/16 16:40	CWO
Chromium	03	EPA200.7 Rev 4.4	0.0300 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:41	CWO
Copper	03	EPA200.7 Rev 4.4	0.0424 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:40	CWO
Hardness	03	SM22 2340B-2011	52.4 mg/L		0.166	1	03/01/16 13:34	03/03/16 16:40	CWO
Magnesium	03	EPA200.7 Rev 4.4	4.11 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:40	CWO
Zinc	03	EPA200.7 Rev 4.4	0.0744 mg/L		0.0100	1	03/01/16 13:34	03/03/16 16:41	CWO
Wet Chemistry Analysis									
BOD	03	SM22 5210B-2011	13.6 mg/L		2.0	1	02/23/16 10:31	02/23/16 10:31	BBP
COD	03	SM22 5220D-2011	82.8 mg/L		10.0	1	02/23/16 10:00	02/23/16 10:00	DLF
Nitrate+Nitrite as N	03	SM22 4500-NO3F-2011	0.73 mg/L		0.10	1	03/02/16 13:47	03/02/16 13:47	BBP
Nitrogen, Total	03	Calc.	2.18 mg/L		0.50	1	03/03/16 13:25	03/03/16 13:25	BBP
Phosphorus, Total	03	SM22 4500PE-2011	0.46 mg/L		0.02	1	03/02/16 08:30	03/02/16 08:30	LAO
TKN as N	03	EPA351.2 R2.0	1.45 mg/L		0.50	1	03/03/16 13:25	03/03/16 13:25	BBP
TSS	03	SM22 2540D-2011	186 mg/L		1.0	1	02/23/16 08:50	02/23/16 08:50	DLF



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

Calibration ID

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Sequence ID

Client Site I.D.: Permit Renewal

Purchase Order:

Analytical Summary

Preparation Factors

Preparation Method:

Method

Wet Chemistry Analysis

Sample ID

Preparation Method: [CALC]

Batch ID

Sample ID	Initial / Final	Metriou	Datcii iD	Sequence ID	Calibration ID
Metals (Total) by EPA	A 200 Series Methods	Preparation Method:	EPA200.2/R2.8		
16B0491-01	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BZC0021	SZC0102	AC60010
16B0491-01RE1	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BZC0021	SZC0130	AC60017
16B0491-02	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BZC0021	SZC0102	AC60010
16B0491-03	50.0 mL / 50.0 mL	EPA200.7 Rev 4.4	BZC0021	SZC0102	AC60010
Sample ID	Preparation Factors Initial / Final	Method	Batch ID	Sequence ID	Calibration ID
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-01	940 mL / 940 mL	SM22 2540D-2011	BZB0522	SZB0615	
16B0491-02	1000 mL / 1000 mL	SM22 2540D-2011	BZB0522	SZB0615	
16B0491-03	100 mL / 100 mL	SM22 2540D-2011	BZB0522	SZB0615	
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-01	300 mL / 300 mL	SM22 5210B-2011	BZB0523	SZB0773	
16B0491-02	300 mL / 300 mL	SM22 5210B-2011	BZB0523	SZB0773	
16B0491-03	300 mL / 300 mL	SM22 5210B-2011	BZB0523	SZB0773	
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-01	2.00 mL / 2.00 mL	SM22 5220D-2011	BZB0534	SZB0618	AB60015
16B0491-02	2.00 mL / 2.00 mL	SM22 5220D-2011	BZB0534	SZB0618	AB60015
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-03	2.00 mL / 2.00 mL	SM22 5220D-2011	BZB0535	SZB0618	AB60015
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-01	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BZC0049	SZC0052	AC60008
16B0491-02	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BZC0049	SZC0052	AC60008
16B0491-03	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BZC0049	SZC0052	AC60008
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-01	25.0 mL / 25.0 mL	SM22 4500PE-2011	BZC0054	SZC0061	AJ50093
Wet Chemistry Analy	ysis	Preparation Method:	No Prep Wet Che	em	
16B0491-02	25.0 mL / 25.0 mL	SM22 4500PE-2011	BZC0055	SZC0061	AJ50093



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.: Permit Renewal

Purchase Order:

Sample ID	Preparation Factors Initial / Final	Method	Batch ID	Sequence ID	Calibration ID
16B0491-03	25.0 mL / 25.0 mL	SM22 4500PE-2011	BZC0055	SZC0061	AJ50093
Wet Chemistry Analysis	5	Preparation Method:	No Prep Wet Chem	1	
16B0491-01	25.0 mL / 25.0 mL	EPA351.2 R2.0	BZC0059	SZC0080	AC60012
16B0491-02	25.0 mL / 25.0 mL	EPA351.2 R2.0	BZC0059	SZC0080	AC60012
16B0491-03	25.0 mL / 25.0 mL	EPA351.2 R2.0	BZC0059	SZC0080	AC60012



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

%REC

RPD

Client Site I.D.:

Permit Renewal

Purchase Order:

Source

Metals (Total) by EPA 200 Series Methods - Quality Control

Air Water and Soil Laboratories, Inc.

Spike

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
Batch BZC0021 - EPA200.2/R2.8										
Blank (BZC0021-BLK1)				Prepared	l: 03/01/2016	Analyze	d: 03/03/2	2016		
Arsenic	<0.0100 mg/L	0.0100	mg/L							
Calcium	<0.0500 mg/L	0.0500	mg/L							
Chromium	<0.0100 mg/L	0.0100	mg/L							
Copper	<0.0100 mg/L	0.0100	mg/L							
Magnesium	<0.0100 mg/L	0.0100	mg/L							
Zinc	<0.0100 mg/L	0.0100	mg/L							
LCS (BZC0021-BS1)				Prepared	l: 03/01/2016	Analyze	d: 03/03/2	2016		
Arsenic	0.465 mg/L	0.0100	mg/L	0.500	mg/L	92.9	80-120			
Calcium	0.474 mg/L	0.0500	mg/L	0.500	mg/L	94.8	80-120			
Chromium	0.464 mg/L	0.0100	mg/L	0.500	mg/L	92.8	80-120			
Copper	0.462 mg/L	0.0100	mg/L	0.500	mg/L	92.5	80-120			
Magnesium	0.474 mg/L	0.0100	mg/L	0.500	mg/L	94.8	80-120			
Zinc	0.463 mg/L	0.0100	mg/L	0.500	mg/L	92.6	80-120			
LCS Dup (BZC0021-BSD1)				Prepared	l: 03/01/2016	Analyze	d: 03/03/2	2016		
Arsenic	0.459 mg/L	0.0100	mg/L	0.500	mg/L	91.9	80-120	1.17	20	
Calcium	0.474 mg/L	0.0500	mg/L	0.500	mg/L	94.7	80-120	0.0671	20	
Chromium	0.466 mg/L	0.0100	mg/L	0.500	mg/L	93.1	80-120	0.337	20	
Copper	0.464 mg/L	0.0100	mg/L	0.500	mg/L	92.8	80-120	0.313	20	
Magnesium	0.469 mg/L	0.0100	mg/L	0.500	mg/L	93.7	80-120	1.14	20	
Zinc	0.465 mg/L	0.0100	mg/L	0.500	mg/L	93.0	80-120	0.507	20	
Matrix Spike (BZC0021-MS1)	Sour	ce: 16B062	7-05	Prepared	I: 03/01/2016	Analyze	d: 03/03/2	2016		
Arsenic	0.507 mg/L	0.0100	mg/L	0.500 (0.0200 mg/L	97.5	75-125			
Calcium	118 mg/L	0.0500	mg/L	0.500	120 mg/L	-283	75-125			M, E
Chromium	0.464 mg/L	0.0100	mg/L	0.500	<0.0100 mg/L	92.8	75-125			
Copper	0.481 mg/L	0.0100	mg/L	0.500	<0.0100 mg/L	94.4	75-125			
Magnesium	27.9 mg/L	0.0100	mg/L	0.500 2	27.8 mg/L	12.4	75-125			M, E
Zinc	0.469 mg/L	0.0100	mg/L	0.500	<0.0100 mg/L	93.7	75-125			



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Analyte

Project Number:

[none]

%REC

Limits

%REC

RPD

Limit

Qual

RPD

Client Site I.D.: Permit Renewal

Purchase Order:

Source

Result

Metals (Total) by EPA 200 Series Methods - Quality Control

Air Water and Soil Laboratories, Inc.

Units

Spike

Level

Reporting

Limit

Result

7 triary to	rtodan		Office	20101	rtoodit	701 KLO	Liiilio		Liiiii	Quu
Batch BZC0021 - EPA200.2/R2.8										
Matrix Spike (BZC0021-MS2)	Sour	ce: 16B064	3-02	Prepared: (03/01/2016	Analyze	d: 03/03/2	016		
Arsenic	0.477 mg/L	0.0100	mg/L	0.500 <0	0.0100 mg/L	95.5	75-125			
Calcium	14.2 mg/L	0.0500	mg/L	0.500 13	8.9 mg/L	61.7	75-125			M
Chromium	0.464 mg/L	0.0100	mg/L	0.500 <0).0100 mg/L	92.9	75-125			
Copper	0.468 mg/L	0.0100	mg/L	0.500 <0	0.0100 mg/L	93.6	75-125			
Magnesium	6.76 mg/L	0.0100	mg/L	0.500 6.3	39 mg/L	73.7	75-125			M
Zinc	0.485 mg/L	0.0100	mg/L	0.500 0.0	0207 mg/L	92.9	75-125			
Matrix Spike Dup (BZC0021-MSD1)	Sour	ce: 16B062	7-05	Prepared: (03/01/2016	Analyze	d: 03/03/2	016		
Arsenic	0.505 mg/L	0.0100	mg/L	0.500 0.0	0200 mg/L	97.0	75-125	0.488	20	
Calcium	120 mg/L	0.0500	mg/L	0.500 12	0 mg/L	-25.3	75-125	1.08	20	M, E
Chromium	0.462 mg/L	0.0100	mg/L	0.500 <0).0100 mg/L	92.3	75-125	0.540	20	
Copper	0.478 mg/L	0.0100	mg/L	0.500 <0).0100 mg/L	93.9	75-125	0.568	20	
Magnesium	27.8 mg/L	0.0100	mg/L	0.500 27	'.8 mg/L	-9.40	75-125	0.392	20	M, E
linc	0.464 mg/L	0.0100	mg/L	0.500 <0	0.0100 mg/L	92.8	75-125	0.959	20	
Matrix Spike Dup (BZC0021-MSD2)	Sour	ce: 16B064	3-02	Prepared: (03/01/2016	Analyze	d: 03/03/2	016		
arsenic	0.474 mg/L	0.0100	mg/L	0.500 <0	0.0100 mg/L	94.9	75-125	0.664	20	
Calcium	14.0 mg/L	0.0500	mg/L	0.500 13	8.9 mg/L	27.2	75-125	1.22	20	M
Chromium	0.460 mg/L	0.0100	mg/L	0.500 <0	0.0100 mg/L	91.9	75-125	1.04	20	
Copper	0.462 mg/L	0.0100	mg/L	0.500 <0	0.0100 mg/L	92.4	75-125	1.28	20	
Magnesium (6.68 mg/L	0.0100	mg/L	0.500 6.3	39 mg/L	57.5	75-125	1.21	20	M
inc	0.480 mg/L	0.0100	mg/L	0.500 0.0	0207 mg/L	91.8	75-125	1.12	20	



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Permit Renewal

Purchase Order:

Wet Chemistry Analysis - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BZB0522 - No Prep Wet Chem										
Blank (BZB0522-BLK1)				Prepared	d & Analyzed	: 02/23/2	016			
TSS	<1.0 mg/L	1.0	mg/L	•	·					
LCS (BZB0522-BS1)				Prepared	d & Analyzed	: 02/23/2	016			
TSS	98.0 mg/L	1.0	mg/L	100	mg/L	98.0	80-120			
Duplicate (BZB0522-DUP1)	Sour	ce: 16B0476	6-01	Prepared	d & Analyzed	: 02/23/2	016			
TSS	52.0 mg/L	1.0	mg/L		49.0 mg/L			5.94	30	
Duplicate (BZB0522-DUP2)	Sour	ce: 16B0496	6-05	Prepared	d & Analyzed	: 02/23/2	016			
TSS	61.5 mg/L	1.0	mg/L		54.0 mg/L			13.0	30	
Batch BZB0523 - No Prep Wet Chem Blank (BZB0523-BLK1)				Prenared	d & Analyzed	· n2/23/2	2016			
BOD	<2.0 mg/L	2.0	mg/L	Териго	2 0 7 (1101 <u>)</u> 200	. 02/20/2	.010			
LCS (BZB0523-BS1)				Prepared	d & Analyzed	: 02/23/2	016			
BOD	189 mg/L	2.0	mg/L	198	mg/L	95.5	84.6-115.4			
Duplicate (BZB0523-DUP1)	Sour	ce: 16B0491	I-01	Prepared	d & Analyzed	: 02/23/2	016			
BOD	<2.0 mg/L	2.0	mg/L		<2.0 mg/L			NA	20	
Batch BZB0534 - No Prep Wet Chem										
Blank (BZB0534-BLK1)				Prepared	d & Analyzed	: 02/23/2	016			
COD	<10.0 mg/L	10.0	mg/L							



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Permit Renewal

Purchase Order:

Wet Chemistry Analysis - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BZB0534 - No Prep Wet Chem										
LCS (BZB0534-BS1)				Prepare	d & Analyzed	: 02/23/20	016			
COD	45.4 mg/L	10.0	mg/L	50.0	mg/L	90.8	80-120			
Matrix Spike (BZB0534-MS1)	Sourc	e: 16B0296	-03	Prepare	d & Analyzed	: 02/23/20	016			
COD	59.1 mg/L	10.0	mg/L	50.0	<10.0 mg/L	118	70-130			
Matrix Spike Dup (BZB0534-MSD1)	Sourc	e: 16B0296	-03	Prepare	d & Analyzed	: 02/23/20	016			
COD	58.1 mg/L	10.0	mg/L	50.0	<10.0 mg/L	116	70-130	1.76	20	
Batch BZB0535 - No Prep Wet Chem										
Blank (BZB0535-BLK1)				Prepare	d & Analyzed	: 02/23/20	016			
COD	<10.0 mg/L	10.0	mg/L							
LCS (BZB0535-BS1)				Prepare	d & Analyzed	: 02/23/20	016			
COD	51.6 mg/L	10.0	mg/L	50.0	mg/L	103	80-120			
Matrix Spike (BZB0535-MS1)	Sourc	e: 16B0491	-03	Prepare	d & Analyzed	: 02/23/20	016			
COD	122 mg/L	10.0	mg/L	50.0	82.8 mg/L	78.3	70-130			
Matrix Spike Dup (BZB0535-MSD1)	Source	e: 16B0491	-03	Prepare	d & Analyzed	: 02/23/20	016			
COD	120 mg/L	10.0	mg/L	50.0	82.8 mg/L	74.2	70-130	1.70	20	
Batch BZC0049 - No Prep Wet Chem										
Blank (BZC0049-BLK1)				Prepare	d & Analyzed	: 03/02/20	016			
Nitrate+Nitrite as N	<0.10 mg/L	0.10	mg/L		-					



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Permit Renewal

Purchase Order:

Wet Chemistry Analysis - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch BZC0049 - No Prep Wet Chem										
LCS (BZC0049-BS1)				Prepared	I & Analyzed	1: 03/02/2	016			
Nitrate+Nitrite as N	2.54 mg/L	0.1	mg/L	2.50		101	90-110			
Matrix Spike (BZC0049-MS1)	Sour	ce: 16B053	8-01	Prepared	I & Analyzed	l: 03/02/2	016			
Nitrate+Nitrite as N	3.31 mg/L	0.10	mg/L	•	<0.10 mg/L	132	90-110			М
Matrix Spike Dup (BZC0049-MSD1)	Sour	ce: 16B053	8-01	Prepared	I & Analyzed	l: 03/02/2	016			
Nitrate+Nitrite as N	3.07 mg/L	0.10	mg/L	2.50	<0.10 mg/L	123	90-110	7.37	20	М
Batch BZC0054 - No Prep Wet Chem										
Blank (BZC0054-BLK1)				Prepared	I & Analyzed	l: 03/02/2	016			
Phosphorus, Total	<0.02 mg/L	0.02	mg/L							
LCS (BZC0054-BS1)				Prepared	I & Analyzed	l: 03/02/2	016			
Phosphorus, Total	0.49 mg/L	0.02	mg/L	0.500	mg/L	98.2	80-120			
Matrix Spike (BZC0054-MS1)	Sour	ce: 16B049	1-01	Prepared	I & Analyzed	l: 03/02/2	016			
Phosphorus, Total	0.52 mg/L	0.02	mg/L	0.500	0.04 mg/L	96.0	80-120			
Matrix Spike Dup (BZC0054-MSD1)	Sour	ce: 16B049	1-01	Prepared	I & Analyzed	l: 03/02/2	016			
Phosphorus, Total	0.52 mg/L	0.02	mg/L	0.500	0.04 mg/L	96.8	80-120	0.768	20	
Batch BZC0055 - No Prep Wet Chem										
Blank (BZC0055-BLK1)				Prepared	I & Analyzed	l: 03/02/2	016			
Phosphorus, Total	<0.02 mg/L	0.02	mg/L		•					



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To:

Chris Wise

Project Number:

[none]

%REC

RPD

Client Site I.D.:

Permit Renewal

Purchase Order:

Source

Wet Chemistry Analysis - Quality Control

Air Water and Soil Laboratories, Inc.

Spike

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
, maryte	- recount			2010.		701120	Liiiilo			
Batch BZC0055 - No Prep Wet Chem										
LCS (BZC0055-BS1)				Prepared	& Analyzed	1: 03/02/20	016			
Phosphorus, Total	0.49 mg/L	0.02	mg/L	0.500	mg/L	98.2	80-120			
Matrix Spike (BZC0055-MS1)	Sour	ce: 16C001	9-01	Prepared	& Analyzed	l: 03/02/20	016			
Phosphorus, Total	0.72 mg/L	0.02	mg/L	0.500 (0.22 mg/L	99.6	80-120			
Matrix Spike Dup (BZC0055-MSD1)	Sour	ce: 16C001	9-01	Prepared	& Analyzed	l: 03/02/20	016			
Phosphorus, Total	0.72 mg/L	0.02	mg/L	0.500 (0.22 mg/L	99.4	80-120	0.139	20	
Batch BZC0059 - No Prep Wet Chem										
Blank (BZC0059-BLK1)				Prepared	& Analyzed	l: 03/03/20	016			
TKN as N	<0.50 mg/L	0.50	mg/L	•	•					
LCS (BZC0059-BS1)				Prepared	& Analyzed	l: 03/03/20	016			
TKN as N	9.98 mg/L	0.50	mg/L	10.0	mg/L	99.8	90-110			
LCS Dup (BZC0059-BSD1)				Prepared	& Analyzed	l: 03/03/20	016			
TKN as N	9.77 mg/L	0.50	mg/L	10.0	mg/L	97.7	90-110	2.11	20	
Matrix Spike (BZC0059-MS1)	Sour	ce: 16C000	9-04	Prepared	& Analyzed	l: 03/03/20	016			
TKN as N	5.47 mg/L	0.50	mg/L	•	<0.50 mg/L	54.7	90-110			М
Matrix Spike (BZC0059-MS2)	Sour	ce: 16C000	9-05	Prepared	& Analyzed	I: 03/03/20	016			
TKN as N	13.5 mg/L	0.50	mg/L	•	1.94 mg/L	115	90-110			М
Matrix Spike Dup (BZC0059-MSD1)	Sour	ce: 16C000	9-04	Prepared	& Analyzed	l: 03/03/20	016			
TKN as N	11.8 mg/L	0.50	mg/L	•	<0.50 mg/L	118	90-110	73.1	20	M, P



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Permit Renewal

Purchase Order:

Wet Chemistry Analysis - Quality Control

Air Water and Soil Laboratories, Inc.

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual

Batch BZC0059 - No Prep Wet Chem

 Matrix Spike Dup (BZC0059-MSD2)
 Source: 16C0009-05
 Prepared & Analyzed: 03/03/2016

 TKN as N
 11.5 mg/L
 0.50 mg/L
 10.0 1.94 mg/L
 95.9 90-110 15.6 20



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Issued:

3/7/2016 14:05

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.: Permit Renewal

Purchase Order:

Certified Analyses included in this Report

Analyte		Certification	าร	
EPA200.7 Rev 4.4 in Non-Potable Water				
Arsenic		VELAP,NC		
Calcium		VELAP,NC		
Chromium		VELAP,NC		
Copper		VELAP,NC		
Magnesium		VELAP,NC		
Zinc		VELAP,NC		
EPA351.2 R2.0 in Non-Potable Water				
TKN as N		VELAP,NC		
SM22 2540D-2011 in Non-Potable Water				
TSS		VELAP,NC		
SM22 4500-NO3F-2011 in Non-Potable Water				
Nitrate+Nitrite as N		VELAP		
SM22 4500PE-2011 in Non-Potable Water				
Phosphorus, Total		VELAP,NC		
SM22 5210B-2011 in Non-Potable Water				
BOD		VELAP,NC		
SM22 5220D-2011 in Non-Potable Water				
COD		VELAP,NC		
Code	Description		Lab Number	Expires
VELAP	NELAC-Virginia Certificate #8204		460021	06/15/2016



Certificate of Analysis

Final Report

3/7/2016 14:05

Client Name: C.E. Wise, Inc. Date Issued:

P.O. Box 1017

Powhatan VA, 23139

Submitted To: Chris Wise Project Number: [none]

Client Site I.D.: Permit Renewal Purchase Order:

Summary of Data Qualifiers

E Estimated concentration, outside calibration range

M Matrix spike recovery is outside established acceptance limits

P Duplicate analysis does not meet the acceptance criteria for precision

RPD Relative Percent Difference

Qual Qualifers

-RE Denotes sample was re-analyzed

D.F. Dilution Factor. Please also see the Preparation Factor in the Analysis Summary section.

TIC Tentatively Identified Compounds are compounds that are identified by comparing the analyte mass spectral pattern with the NIST spectral library. A TIC spectral match is reported when the pattern is at least 75% consistent with the published pattern. Compound concentrations are estimated and are calculated

using an internal standard response factor of 1.



1941 REYMET ROAD **RICHMOND, VIRGINIA 23237** (804) 358-8295 PHONE (804)358-8297 FAX Chain of Custody Form #: D1331 Rev. 1.0

Effective: Feb 14, 2014

PHONE #: INVOICE PHONE #: P.O. #: Pretreatment Program:	LABORA	TORI	ES, I	NC.				CHA	IN OF	CUS	TO	DY								PAGE	OF_	
ADDRESS: INVOICE ADDRESS: PROJECT NUMBER: PROJECT NUMBER: P.O.#:	COMPANY NAME: C.E.W	IJE	7	nC	,	IN'	VOICE TO): <i>(</i>	1, E. C	VISE				PR	OJECT	NAME	-/Quot	e#: /	Ineli	a Lu	imber C.	0,
ADDRESS: INVOICE ADDRESS: PROJECT NUMBER: PROJECT NUMBER: P.O.#:	CONTACT: Chris W.	re				IN'	VOICE CC	NTAC	T:					SIT	E NAM	1E:		\mathcal{P}	crmit	- Res	rewal	
FAX #: Is sample for compliance reporting? (YES) NO Is sample from a chlorinated supply? YES NO PWS I.D. #: SAMPLER NAME (PRINT): Term Blan Kenhy PAMPLER SIGNATURE: Matrix Codes: Www.Waste Water/Storm Water (SW-Ground Water DW-Drinking Water S-SollSolids OR-Granic AAAI WR-Wije OT-Other COMMENTS CLIENT SAMPLE I.D. OR BORD BROWN WATER WATER WATER SIGNATURE: CLIENT SAMPLE I.D. OR BORD BROWN WATER WATER WATER SIGNATURE: CLIENT SAMPLE I.D. OR BORD BROWN WATER WATER WATER SIGNATURE: OR BORD BROWN WATER WATER WATER SIGNATURE: COMMENTS ANALYSIS / (PRESERVATIVE) OR BORD BROWN WATER WATER WATER SIGNATURE: COMMENTS Preservative Codes Noville AAI ANALYSIS / (PRESERVATIVE) OR BORD BROWN WATER WATER WATER SIGNATURE: COMMENTS Preservative Codes Noville AAI ANALYSIS / (PRESERVATIVE) OR BORD BROWN WATER WATER WATER SIGNATURE: COMMENTS Preservative Codes Noville AAI ANALYSIS / (PRESERVATIVE) OR BORD BROWN WATER	ADDRESS:					!N	VOICE AD	DRES	S:					PR	OJECT	NUME	BER:					
Is sample for compliance reporting? (YES) NO Is sample form a chlorinated supply? YES NO PWS I.D. #:	PHONE #:					IN'	VOICE PH	IONE#	:					P.C). #:							
SAMPLER NAME (PRINT): Terry Black Kruhn, 19 DBPLER SIGNATURE: Matrix Codes: WWF-Waste Water/Shorm Water GW-Ground Water DW-Drinking Water S*-Soll/Solids OR*-Organic Analy WP*-Wipe OT*-Other	FAX #:				EMAIL:				<u> </u>					Pre	treatm	ent Pro	gram:					
Matrix Codes: WW-Waste Water/Storm Water Off-Order Water Diff-Drinking Water S-Soll/Solids OR-Organic Analir WP-Wipe OT-Other. COMMENTS	Is sample for compliance repor	ting?	(YI	ES)	NO		Is sample	from a	chlori	nated s	upp	ly?	YES	NO				PWS	I.D. #:			
COMMENTS Codes: WW-Waste Water Storm Water SesolUsolida OR-Organic A-Air WP-Wipe OT-Other COMMENTS	SAMPLER NAME (PRINT): 7	Terr.	1 8	Blan	Kenhy	Pil	MPLER S	IGNAT	URE:									Turn A	Around	l Time:	: <i>10</i> Day	(s)
CLIENT SAMPLE I.D. CLIENT SAMPLE I.D. Chipdreline Acid Sessible Acid Post Acid Procession Proc	Matrix Codes: WW=Waste Water/Storm V	Vater G				Drinking	Water S=Soil	/Solids C	R=Orga	nic A=Air	· WP:	=Wipe O	T=Other_							С	OMMENTS	;
1) Ortfoll 001				(S)								3	AN	ALYSI	S / (PR	ESER\	/ATIVI	E)				
1) 0 - f = 1 0 0 2 2 1 6 6 0 2 2 1 6 6 0 2 2 1 6 6 0 2 2 1 6 6 0 2 2 1 6 6 0 2 2 1 6 6 0 0 0 0 0 0 0 0	CLIENT SAMPLE I.D.	Grab	Composite	$\perp = \perp$	Composite Start			Grab Time or Composite Stop	Time Preserved	Matrix (See Codes)	Number of Containers	As, Cu, Zn	hess) N /	Total Phos (s)	00	55%	(s) QOD		Acid Z= Thic	=Zino Acetate T=Scosulfate M=Methand NOTE PRESERVATERENCE CHECKS o	odium nol
3) 0 1		\bot	1		2/21/16	1640	2/21/16	1820		WW			√	V	V	·/	V	V		pH=	6.9	
4) 5) 0 + - 0 3		\perp					6 1:2			<u> </u>	Ш											
5) Ov+f_1 003		+	1	∐ ,	2/21/16	1640	2/21/16	1820		WW	Н	V		V	- V		<u> </u>	1	ļ	PH =	= /12	\dashv
8) 9) 10) RELINQUISHED: DATE / TIME RECEIVED: DATE / TIME RECEIVED: DATE / TIME DATE / TIME DATE / TIME Level II	5) Ortfall 003	\perp	/		2/21/16	1640	2/21/16	1820		rw		V	V	V		V	V	/		pH =	= 7.1	
8) 9) 10) RELINQUISHED: DATE / TIME RECEIVED: DATE / TIME Level II DATE / TIME Level II DATE / TIME DATE / TIME Level II DATE / TIME Level II DATE / TIME Level II DATE / TIME DATE / TIME Level II DATE / TIME Level II DATE / TIME Level II DATE / TIME DATE / TIME Level II DATE / TIME			<u> </u>	Н		<u> </u>				ļ	Ш							ļ	<u></u>	<u></u>		
9) 10) RELINQUISHED: DATE / TIME RECEIVED: DATE / TIME Level II RELINQUISHED: DATE / TIME RECEIVED: DATE / TIME Level II Level II Level IV Recd: 02/22/2016 Due: 02/29/2016			-			-	_			ļ								 				
DATE / TIME RECEIVED: DATE / TIME RECEIVED: DATE / TIME RECEIVED: DATE / TIME DATE / TI		+	+	\vdash	-1-	 -	_			-	\vdash							 	<u> </u>			
DATE / TIME RECEIVED: DATE / TIME Level II Level II RECEIVED: DATE / TIME Level III DATE / TIME Level III		+	+	\vdash	<u> </u>			 _			\vdash	_		_					├	 		
RELINQUISHED: DATE / TIME RECEIVED: DATE / TIME Level III Level IV Recd: 02/22/2016 Due: 02/29/2016	RELINQUISHED: Bloghers	2/2 2/1/2	7// TE /	6 10 TIME	RECEME			2/2	22//6 DATE /	1 <i>0200</i> TIME	Leve	el I		LAB U	C	EW	т.		ER TE		`	
	RELINQUISHED:						CLIER C				1		_						Due:	02/29		

Sample Condition Form#: F1302 Rev. #: 6.0 Effective: Jul 31, 2015 Page 1 of 1



1941 Reymet Road • Richmond, Virginia 23237 • Tel: (804) 358-8295 Fax: (804) 358-8297

		<u>Sam</u>	<u>iple Cor</u>	<u>ndit</u>	tions Checklist				
Opene	ed by: (Initials)	1	W.		Lab ID No.:		16B049	1	_
•	- , ,		•		Date Cooler Opened:	02/20	2/16		_
	How were san	nples received?	Fed Ex UPS Courier			77	YES	<u>NO</u>	<u>N/A</u>
<u>2.</u>	Were custody	seals used?	Walk In	Ī					
3.	If yes, are cus	tody seals unbro	ken and intac	ct at t	he date and time of arrival?				
١.	Are the custoo	dy papers filled o	ut completely	and	correctly?				
i.	Do all bottle la	abels agree with o	custody pape	rs?			ď		
7.	Is the tempera (above freezin	•	resentative s	ampl	e within acceptable limits?				
8.	If NO, are the	samples just take	en and receiv	ed o	n ice?				
9.	Are all sample	es within holding	time for reque	ested	laboratory tests?		. 🗹		
10.	Is a sufficient	amount of sampl	e provided to	perfo	orm the tests indicated?				
11.	Are all sample	es in proper conta	iners for the	analy	ses requested?				
12.	Are all sample	es appropriately p	reserved for	the a	nalyses requested?				
13.	Are all volatile	organic containe	ers free of hea	adspa	ace?				
14.	Are all TOX co	ontainers free of	headspace?						Ó
15.	, ,	provided with eac trip blank is not re	•		? Circle applicable method: ample set)				Ø
	EPA 8011	EPA 504	EPA 8260		EPA 624				
	RSK-175	EPA 8015 (G	RO)		EPA 8021				
	EPA 524	*GRO Wiscor	nsin DNR (wa	iter a	nd/or methanol trip blank mu	st be prov	vided)		
See pr	eservation log for t	Wisconsin soil DRO		MO:	MENTS				
			_						
					Λ,				
								_	
	_				***			-	
	AB USE ONLY:		<u>.</u>		- 				
-		·	_						
uffer S	60I'n ID: 9H ID:				Analyst intials:				

AIR WATER	SOIL SEGRATORIES, INC.		_
Ordor ID	\	16B0491	

Sample Preservation Log

Sample Preservation Log Form #: F1301 Rev # 4.0 Effective: Mar 13, 2015 Page 1 of 1

Date Performed:	02/22/16

Analyst Performing Check:

P/A = Present/Absent

,											r		_			1	alyst	reno	71111111	ig Che	GUN.	لاس						·	177	- 1 163	envabse	\(\)
	₽					١.		.	A		CO	D/		DI	T.4	1.	100.1			DD0			estici			SVO						
	ainer	Met pH as		Cya pH as	nide		Sulfic	ت ي ie	Am pH a	monia	pH as Receive	KN _	뒶	Phos	, 10t		D3+i pH as eceived	NO2		DRO H as ceived			081/6 Clas			270/6 Clas		рН	as	± %	pH as	T
Sample ID	Container ID	Received	inal pl	pH as Receive > 12 Othe	Final pl	Rec > 9	l as . eived Other	Final pl If adju	pH a Receiv	ed Grant	pH as Receive	d lenif	adju-	pH as Received	Final P	를 R	pH as eceived Other	Final p	Rec	H as ceived Other	Final p (ff adju	Rece Present	ived Absent	Res.Cl P/A (II adjust.	Presen	eived Absent	Res.Cl P/A (If adjust.)	Recei	Other	Final pH (If adjust.)	Received	— =
01	0												1										_									-
01	D										, 1 /			4		-	1															
01	E										V																					
07	C		-																				,									
07	0										~		\			V																
07	E										V									-												
03	C																															
03	0										~			1		،									<u> </u>						·	
03	E																							ļ								
																											<u> </u>					
																															·	
								1101																							*	

NaOH ID:	HCL ID;	
H2SO4 ID:	HNO3 ID:	

DRO-Wisconsin soil samples must be preserved with MeCl2 within 72 hours of sample collection - NOTIFY EXTRACTION DEPARTMENT.

STORMWATER MONITORING

Amelia Lumber Company, Inc.

November 19, 2015

(Re-sample Total Nitrogen)

	Outfall 001	Outfall 002	Outfall 003
Flow Duration	45 min.	20 min.	15 min.
Max Flow Rate	25 gpm	5 gpm	3 gpm
Total Flow, MG (Max.)	0.0011	0.0001	0.00005

Rainfall Duration = 12 hours (Discharger occurred within 4 hours of rain event)

Total Rainfall = 1.0 inch

Previous Rainfall Event = 8 days



Certificate of Analysis

Final Report

Laboratory Order ID 15K0522

Client Name: C.E. Wise, Inc. Date Received: November 20, 2015 13:40

P.O. Box 1017 Date Issued: December 1, 2015 17:11

Powhatan, VA 23139

Project Number: [none]

Submitted To: Chris Wise Purchase Order:

Client Site I.D.: Stormwater

Enclosed are the results of analyses for samples received by the laboratory on 11/20/2015 13:40. If you have any questions concerning this report, please feel free to contact the laboratory.

Sincerely,

Ted Soyars

Laboratory Manager

E0 70/415

End Notes:

The test results listed in this report relate only to the samples submitted to the laboratory and as received by the Laboratory.

Unless otherwise noted, the test results for solid materials are calculated on a wet weight basis. Analyses for pH, dissolved oxygen, temperature, residual chlorine and sulfite that are performed in the laboratory do not meet NELAC requirements due to extremely short holding times. These analyses should be performed in the field. The results of field analyses performed by the Sampler included in the Certificate of Analysis are done so at the client's request and are not included in the laboratory's fields of certification nor have they been audited for adherence to a reference method or procedure.

The signature on the final report certifies that these results conform to all applicable NELAC standards unless otherwise specified. For a complete list of the Laboratory's NELAC certified parameters please contact customer service.

This report shall not be reproduced except in full without the expressed and written approval of an authorized representative of Air Water & Soil Laboratories, Inc.









Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

November 20, 2015 13:40

P.O. Box 1017

Date Issued:

December 1, 2015 17:11

Powhatan VA, 23139 Submitted To: Chris Wise

Project Number:

[none]

Client Site I.D.:

Stormwater

Purchase Order:

ANALYTICAL REPORT FOR SAMPLES

Laboratory Order ID 15K0522

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Outfall 001	15K0522-01	Waste Water	11/19/2015 10:20	11/20/2015 13:40
Outfall 002	15K0522-02	Waste Water	11/19/2015 10:05	11/20/2015 13:40
Outfall 003	15K0522-03	Waste Water	11/19/2015 10:00	11/20/2015 13:40



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

November 20, 2015 13:40

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

December 1, 2015 17:11

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Nitrogen, Total

Stormwater

03

Calc.

.

Purchase Order:

Laboratory Order ID: 15K0522

	ulto ——	La	boratory Order ID	: 15K052	2				
Sample I.D. Outfall 001	s ——				Laborat	ory S	ample ID: 1	5K0522-01	
Date/Time Sampled: 1	11/19/2015 1	0:20							
Parameter	Samp ID	Method	Result	Qual	Reporting Limit	D.F.	Sample Prep Date/Time	Analysis Date/Time	Analyst
Wet Chemistry Analysis									
Nitrate+Nitrite as N	01	SM22 4500-NO3F-2011	<0.10 mg/L		0.10	1	11/24/15 17:35	11/24/15 17:35	CWO
Nitrogen, Total	01	Calc.	0.64 mg/L		0.50	1	12/01/15 10:24	12/01/15 10:24	LBH
TKN as N	01	EPA351.2 R2.0	0.60 mg/L		0.50	1	12/01/15 10:24	12/01/15 10:24	LBH
Analytical Results Sample I.D. Outfall 002					Laborat	orv S	ample ID: 1	5K0522-02	
•	11/19/2015 1	0.05				o.		000== 0=	
Date/Time Gampled:	11/10/2010 1				Reporting				
Parameter	Samp ID	Method	Result	Qual	Limit	D.F.	Sample Prep Date/Time	Analysis Date/Time	Analyst
Wet Chemistry Analysis									
Nitrate+Nitrite as N	02	SM22 4500-NO3F-2011	1.63 mg/L		0.10	1	11/24/15 17:38	11/24/15 17:38	CWO
Nitrogen, Total	02	Calc.	2.47 mg/L		0.50	1	12/01/15 10:26	12/01/15 10:26	LBH
TKN as N	02	EPA351.2 R2.0	0.84 mg/L		0.50	1	12/01/15 10:26	12/01/15 10:26	LBH
Analytical Resu	ılts				1 -1	0		EK0E22 02	
Sample I.D. Outfall 003					Laborat	ory S	ample ID: 1	5K0522-03	
Date/Time Sampled: 1	11/19/2015 1	0:00							
Parameter	Samp ID	Method	Result	Qual	Reporting Limit	D.F.	Sample Prep Date/Time	Analysis Date/Time	Analyst
Wet Chemistry Analysis									
Nitrate+Nitrite as N	03	SM22 4500-NO3F-2011	<0.10 mg/L		0.10	1	11/24/15 17:41	11/24/15 17:41	CWO

1.03 mg/L

0.50

12/01/15 10:28

LBH

12/01/15 10:28



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

November 20, 2015 13:40

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

December 1, 2015 17:11

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Stormwater

Purchase Order:

Laboratory Order ID: 15K0522

Analytical Results

Sample I.D. Outfall 003 Laboratory Sample ID:

D.F.

15K0522-03

Date/Time Sampled:

11/19/2015 10:00

Samp ID

Reporting Limit

Sample Prep

Date/Time

Wet Chemistry Analysis

TKN as N

Parameter

03 EPA351.2 R2.0

Method

1.03 mg/L

Result

0.50

12/01/15 10:28

12/01/15 10:28

Analysis

Date/Time

LBH

Analyst

- Analytical Summary

Wet Chemistry Analysis

Preparation Method:

[CALC]

Qual

Sample ID	Preparation Factors Initial / Final	Method	Batch ID	Sequence ID	Calibration ID
Wet Chemistry Analysis	.	Preparation Method:	No Prep Wet Chem		
15K0522-01	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BYK0703	SYK0808	AK50133
15K0522-02	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BYK0703	SYK0808	AK50133
15K0522-03	5.00 mL / 5.00 mL	SM22 4500-NO3F-2011	BYK0703	SYK0808	AK50133
Wet Chemistry Analysis	;	Preparation Method:	No Prep Wet Chem		
15K0522-01	25.0 mL / 25.0 mL	EPA351.2 R2.0	BYK0771	SYL0010	AL50001
15K0522-02	25.0 mL / 25.0 mL	EPA351.2 R2.0	BYK0771	SYL0010	AL50001
15K0522-03	25.0 mL / 25.0 mL	EPA351.2 R2.0	BYK0771	SYL0010	AL50001



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

November 20, 2015 13:40

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

December 1, 2015 17:11

RPD

Submitted To:

Chris Wise

Project Number:

[none]

%REC

Client Site I.D.:

Stormwater

Purchase Order:

Source

Wet Chemistry Analysis - Quality Control

Air Water and Soil Laboratories, Inc.

Spike

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
Batch BYK0703 - No Prep Wet Chem										
Blank (BYK0703-BLK1)				Prepared	d & Analyzed	l: 11/24/2	015			
Nitrate+Nitrite as N	<0.10 mg/L	0.10	mg/L							
LCS (BYK0703-BS1)				Prepared	d & Analyzed	l: 11/24/2	015			
Nitrate+Nitrite as N	2.60 mg/L	0.1	mg/L	2.50		104	90-110			
Matrix Spike (BYK0703-MS1)	Soui	ce: 15K052	1-06	Prepared	d & Analyzed	l: 11/24/2	015			
Nitrate+Nitrite as N	2.56 mg/L	0.10	mg/L	2.50	<0.10 mg/L	102	90-110			
Matrix Spike (BYK0703-MS2)	Soui	ce: 15K052	3-07	Prepared	d & Analyzed	l: 11/24/2	015			
Nitrate+Nitrite as N	2.74 mg/L	0.10	mg/L	2.50	0.18 mg/L	103	90-110			
Matrix Spike Dup (BYK0703-MSD1)	Sour	ce: 15K052	1-06	Prepared	d & Analyzed	l: 11/24/2	015			
Nitrate+Nitrite as N	2.64 mg/L	0.10	mg/L	2.50	<0.10 mg/L	105	90-110	3.04	20	
Matrix Spike Dup (BYK0703-MSD2)	Soui	ce: 15K052	3-07	Prepared	d & Analyzed	l: 11/24/2	015			
Nitrate+Nitrite as N	2.71 mg/L	0.10	mg/L	2.50	0.18 mg/L	101	90-110	0.953	20	
D . DW(0774 N D . W . O)										
Batch BYK0771 - No Prep Wet Chem										
Blank (BYK0771-BLK1)				Prepared	d & Analyzed	I: 12/01/2	015			
TKN as N	<0.50 mg/L	0.50	mg/L							
LCS (BYK0771-BS1)				Prepared	d & Analyzed	l: 12/01/2	015			
TKN as N	10.6 mg/L	0.50	mg/L	10.0		106	90-110			
LCS Dup (BYK0771-BSD1)				Prepared	d & Analyzed	l: 12/01/2	015			
TKN as N	10.6 mg/L	0.50	mg/L	10.0		106	90-110	0.406	20	



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received:

November 20, 2015 13:40

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

December 1, 2015 17:11

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Stormwater

Purchase Order:

Wet Chemistry Analysis - Quality Control

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Qual
Batch BYK0771 - No Prep Wet Chem										
Matrix Spike (BYK0771-MS1) Source: 15K0527-02 Prepared & Analyzed: 12/01/2015										
TKN as N	11.8 mg/L	0.50	mg/L	10.0	1.36 mg/L	105	90-110			
Matrix Spike (BYK0771-MS2)	Sou	rce: 15K058	6-01	Prepared & Analyzed: 12/01/2015						
TKN as N	11.7 mg/L	0.50	mg/L	10.0	1.28 mg/L	104	90-110			
Matrix Spike Dup (BYK0771-MSD1)	Sou	rce: 15K052	7-02	Prepared	& Analyze	d: 12/01/2	015			
TKN as N	12.0 mg/L	0.50	mg/L	10.0	1.36 mg/L	107	90-110	1.79	20	
Matrix Spike Dup (BYK0771-MSD2)	Sou	rce: 15K058	6-01	Prepared	& Analyze	d: 12/01/2	015			
TKN as N	11.7 mg/L	0.50	mg/L	10.0	1.28 mg/L	105	90-110	0.684	20	



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc.

Date Received:

November 20, 2015 13:40

P.O. Box 1017

Powhatan VA, 23139

Date Issued:

December 1, 2015 17:11

Submitted To:

Chris Wise

Project Number:

[none]

Client Site I.D.:

Stormwater

Purchase Order:

Certified Analyses included in this Report

Analyte Certifications

EPA351.2 R2.0 in Non-Potable Water

TKN as N VELAP,NC

SM22 4500-NO3F-2011 in Non-Potable Water

Nitrate+Nitrite as N VELAP

Code	Description	Lab Number	Expires
MdDOE	Maryland DE Drinking Water	341	12/31/2015
NC	North Carolina DENR	495	12/31/2015
VELAP	NELAC-Virginia Certificate #8074	460021	06/15/2016
WVDEP	West Virginia DEP	350	11/30/2015



Certificate of Analysis

Final Report

Client Name: C.E. Wise, Inc. Date Received: November 20, 2015 13:40

P.O. Box 1017 Date Issued: December 1, 2015 17:11

Powhatan VA, 23139

Submitted To: Chris Wise Project Number: [none]

Client Site I.D.: Stormwater Purchase Order:

Summary of Data Qualifiers

RPD Relative Percent Difference

Qual Qualifers

-RE Denotes sample was re-analyzed

D.F. Dilution Factor. Please also see the Preparation Factor in the Analysis Summary section.

TIC Tentatively Identified Compounds are compounds that are identified by comparing the analyte mass spectral pattern with the NIST spectral library. A TIC

spectral match is reported when the pattern is at least 75% consistent with the published pattern. Compound concentrations are estimated and are calculated

using an internal standard response factor of 1.



1941 REYMET ROAD **RICHMOND, VIRGINIA 23237** (804) 358-8295 PHONE (804)358-8297 FAX

Chain of Custody Form #: D1331 Rev. 1.0

Effective: Feb 14, 2014

LABORAT	ORI	ES, I	NC.	•			CHA	IN OF	CUS	TO	DY								PAGE _	OF
COMPANY NAME: C.E. WISE					IN'	INVOICE TO: C.E. COISE						PF	PROJECT NAME/Quote #: Amelia Lomber							
CONTACT:	ONTACT:						INVOICE CONTACT:							SITE NAME: Storm crafee						
ADDRESS:					IN'	VOICE AD	DRES	S:					PROJECT NUMBER:							
PHONE #:					IN,	VOICE PH	ONE #	:					P.	O. #:			_	·		
FAX #:				EMAIL:		·							Pr	etreatn	ent Pr	ogram:				
ls sample for compliance report	ing?	(YI	EŠ)	NO		Is sample	from a	chlorin	nated s	upp	ly?	YES	(NO)				PWS	I.D. #:		
SAMPLER NAME (PRINT):	re+	7	Si	outhall	/ SA	MPLER S	IGNAT	URE: 1	7	Ą.		1		<u></u>	J		Turn	Around	d Time:	5 Day(s)
Matrix Codes: WW=Waste Water/Storm W	ater G	W=G	roun	d Water DW=0	Drinking	Water S≃Soil	/Solids (OR=Orgar	ic A=Air	MÞ.	Wipe o	T=Other_							COI	MMENTS
			(S)									AN	ALYS	S / (PF	RESER	VATIV	E)	-	1	Codes: N=Nitric Acid ic Acid S=Sulfuric Acid
CLIENT SAMPLE I.D.	Grab	Composite	Field Filtered (Dissolved Metals)		Composite Start Time	Grab Date or Composite Stop Date	Grab Time or Composite Stop Time	Time Preserved	Matrix (See Codes)	Number of Containers	Total N		, ALTO			,			H=Sodium H Acid Z=Zin Thiosuli Thiosuli	hydroxide A=Ascorbic c Acetate T=Sodium fate M=Methanol TE PRESERVATIVE(S), NCE CHECKS or PUMP ATE (L/min)
1) Outfall 001				11-19-15		10:20	2	1020	wh	1	V						<u> </u>			
2)	<u> </u>	otacluster			•					Ш							ļ	ļ	<u> </u>	_
3) Outtall 002	V			11-19-15		10:00	5	1005	ww		/			ļ			ļ		ļ	
4) 5) Ortfall 003 6)	1			11-19-15	-	10:00	7	1000	vw	i			· · · · · ·							
7)																				
8)																				
9)															<u> </u>			<u> </u>		
10)					~									<u> </u>					l	
RELINQUISHED: RELINQUISHED:	19 26	15 15 E 1	TIME	3 18 C BRECEIVE		20 NOV.	11/1	DATE /	1313 TIME ,40		4 III	ackage	(USE OI CEW Amelia Recd:	Lum			15K	MP Q (0522 1/2015	c
																		`	,,0002000	Page 9 of 11

Sample Condition Form#: F1302 Rev. #: 6.0 Effective: Jul 31, 2015 Page 1 of 1



1941 Reymet Road • Richmond, Virginia 23237 • Tel : (804) 358-8295 Fax: (804) 358-8297

Sample Conditions Checklist

Opene	d by: (Initials)	<u> KI C</u>	٠	Lab ID No.:	15K05	<u> 22</u>	_		
		•		Date Cooler Opened:	11-20-15	5	_		
1.	How were samp	oles received?	Fed Ex [] UPS [] Courier []		YES	<u>NO</u>	<u>N/A</u>		
2.	Were custody s	eals used?	Walk In ☐	- L					
3.	If yes, are custo	dy seals unbr	oken and intact a	at the date and time of arrival?			ď		
4.	Are the custody	papers filled	out completely ar	nd correctly?					
5.	Do all bottle lab	els agree with	custody papers?	?					
7.	Is the temperate (above freezing		presentative sam	nple within acceptable limits?					
8.	,	•	ken and received	on ice?					
9.	Are all samples	within holding	time for request	ed laboratory tests?			□ .		
10.	Is a sufficient ar	nount of samp	ole provided to pe	erform the tests indicated?					
11.	Are all samples	in proper con	tainers for the an	alyses requested?					
12.	Are all samples	appropriately	preserved for the	e analyses requested?					
13.	Are all volatile of	organic contair	ners free of head	space?					
14.	Are all TOX cor	tainers free of	f headspace?						
15.			ch VOC sample s	set? Circle applicable method: sample set)			ď		
	EPA 8011	EPA 504	EPA 8260	EPA 624					
	RSK-175	EPA 8015 (0	GRO)	EPA 8021					
	EPA 524	*GRO Wisco	onsin DNR (water	r and/or methanol trip blank must	be provided)				
* See preservation log for Wisconsin soil DRO. COMMENTS									
FOR LA	B USE ONLY:								
CrVI pre	served date/time: _		_						
Buffer S	ol'n ID:	_		Analyst intials:		•			
1N NaO	H ID:	or		5N NaOH ID:	THIS DOCUM	ENT IS UI	NCONTROLLED WHEN PRINTED F1302 Sample Condition 6_0.xl		

WATER	SOIL DEATORIES, INC.
Order ID	15K0593

. 674

Sample Preservation Log

Sample Preservation Log Form #: F1301 Rev # 4.0 Effective: Mar 13, 2015 Page 1 of 1

Date Performed:	11-20-15

Analyst Performing Check: P/A = Present/Absent Pesticide **SVOC** Container ID Metals Sulfide Ammonia **TKN** Phos. Tot NO3+NO2 DRO (8081/608) (8270/625) Cyanide Final pH (If adjust.) pH as Received pH es Received pH as pH as Received pH as Res,Cl as pH as pH as pH as Received Received Received Received Received Received Received B Present Absent < 2 Other < 2 Other Other Other Sample ID -O1 -02 A ~03

HCL ID: NaOH ID:_____ HNO3 ID: H2SO4 ID: _____

DRO-Wisconsin soil samples must be preserved with MeCl2 within 72 hours of sample collection - NOTIFY EXTRACTION DEPARTMENT.

VPDES Permit Application Addendum

1. Entity to whom the permit is to be issued: Amena Lumber Company, inc.
Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or ma not be the facility or property owner.
2. Is this facility located within city or town boundaries? Yes \square No $\overline{\mathbb{X}}$
3. Provide the tax map parcel number for the land where the discharge is located. 42-1E
4. For the facility to be covered by this permit, how many acres will be disturbed during the next
five years due to new construction None
5. What is the design average effluent flow of this facility? N/A MGD
For industrial facilities, provide the max. 30-day average production level, include units:
See Attached.
In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Yes \square No \boxtimes If "Yes", please identify the other flow tiers (in MGD) or production levels:
Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?
6. Nature of operations generating wastewater:
Stormwater Runoff
0 % of flow from domestic connections/sources
Number of private residences to be served by the treatment works: N/A
100 % of flow from non-domestic connections/sources
7. Mode of discharge : Continuous X Intermittent Seasonal
Describe frequency and duration of intermittent or seasonal discharges:
Stormwater Runoff
3. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:
Permanent stream, never dry
Intermittent stream, usually flowing, sometimes dry
Ephemeral stream, wet-weather flow, often dry
Effluent-dependent stream, usually or always dry without effluent flow
Lake or pond at or below the discharge point
X Other: Drainage Ditch for Stormwater Flow
9. Approval Date(s):
O & M Manual 2010 (1) Sludge/Solids Management Plan N/A
Have there been any changes in your operations or procedures since the above approval dates? Yes \(\sigma \) No
(1) Treating Plant Operating Manual.

Item 5

The maximum 30-day average production using the various treatment processes are as follows:

CCA Treatment – 276,000 Board-feet

CA-C (Copper Azole) – 400,000 Board-feet

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Envi	ronmental Quality to have the cost of p	publishing a public
notice billed to the Agent/Department show	wn below. The public notice will be p	ublished once a week
for two consecutive weeks in _The Richme	ond Times Dispatch	in accordance
with 9 VAC 25-31-290.C.2.		
Agent/Department to be billed:	Accounting Department	
Owner:	Amelia Lumber Company, Inc.	
Agent/Department Address:	P.O. Box 727	
	Amelia, Virginia 23002	
Agent's Telephone No.:	(804) 561-2155	
Printed Name:	William L. Scott	
Authorizing Agent – Signature:	Att	
Date:	4-21-16	

VPDES Permit No. VA0091979

Facility Name: Amelia Lumber Company, Inc.